



Requestor User Support Manual

North Dakota Prescription Drug Monitoring Program

October 2019
Version 2.2

Table of Contents

1	Document Overview	1
1.1	What is a Requestor?	1
2	Registration	3
2.1	Registration Overview.....	3
2.2	Registering for an Account.....	3
2.3	Verifying Your Email Address	14
2.4	Account Approval.....	15
3	Basic System Functions	16
3.1	Log In to PMP AWARe	16
3.2	My Dashboard.....	17
3.2.1	Patient Alerts.....	17
3.2.2	Recent Requests.....	18
3.2.3	Delegates/Supervisors	18
3.2.4	Announcements and Quick Links	18
3.3	Log Out of PMP AWARe	19
4	RxSearch.....	20
4.1	Creating a Patient Request	20
4.1.1	Multiple Patients Identified	23
4.1.2	Partial Search Results.....	24
4.1.3	No Results Found	25
4.2	Viewing a Narx Report	26
4.3	Bulk Patient Search	26
4.3.1	Viewing Bulk Patient Search Results	29
4.3.2	Incomplete Bulk Patient Search Results	31
4.3.3	No Prescriptions Found in Bulk Patient Search.....	32
4.4	Requests History	33
4.5	My Rx	34
5	Rx Management	37
5.1	Error Correction	37
5.1.1	Search for a Record	38
5.1.2	Correct an Error.....	39

5.2	Rx Maintenance	40
5.2.1	Correcting Prescriptions.....	40
5.2.2	Voiding Prescriptions	41
5.3	New Rx	42
5.4	PharmacyRx.....	43
6	User Profile.....	45
6.1	My Profile.....	45
6.2	Setting Default PMP InterConnect States	48
6.3	Delegate Management	48
6.3.1	Approving and Rejecting Delegates	48
6.3.2	Removing/Deactivating Delegates.....	49
6.4	Password Management	49
6.4.1	Updating a Current Password	50
6.4.2	Resetting a Forgotten Password	51
7	Assistance and Support	55
7.1	Technical Assistance	55
7.2	Administrative Assistance	55
8	Document Information.....	56
8.1	Disclaimer.....	56
8.2	Change Log.....	56
Appendix A:	NarxCare	57
	Introduction to NarxCare	57
	Application Interface Overview	58
	Narx Report Details	59
	Report Header.....	59
	Report Body	60
	Prescription Detail.....	63
	Provider and Pharmacy Detail	63
	Resources Tab.....	64
	Narx Scores	65
	Narx Score Algorithm	65
	Clinical Application.....	71
	Overdose Risk Score	73

ORS Algorithm	74
Clinical Application	75
Additional Risk Indicators	77
Clinical Application	78
Appendix B: Communications Module	80
Accessing Your Inbox	80
Clinician-to-Clinician Messaging	83
Creating a New Message	83
Responding to an Existing Message	85
Care Notes	87
Adding a New Care Note	87
Editing a Care Note	89
Deleting a Care Note	92
Flagging a Message/Care Note as Inappropriate	95

1 Document Overview

The PMP AWARe *Requestor User Support Manual* provides step-by-step instructions for healthcare professionals requesting data from the North Dakota Prescription Monitoring Program (PDMP) database. It includes such topics as:

- Registering for an account
- Creating patient requests
- Viewing request status
- Viewing patient reports
- Appointing a delegate to request and receive information on behalf of a prescriber or dispenser
- Managing your account

1.1 What is a Requestor?

A requestor is a PMP AWARe account type typically used to review patients' prescription history. A requestor's primary task within the application is to determine if a patient should be given or dispensed a prescription based on their prescription history. Requestors are the strongest line of defense in preventing prescription drug abuse. Physicians and pharmacists are the most common type of requestor; however, there are a myriad of roles that can be classified as a requestor, including law enforcement. A complete list of available roles that fall into the requestor category is provided below:

Healthcare Professionals

- | | | |
|--|--------------------------------------|------------------------------------|
| • Dentist | • Optometrist | • Podiatrist (DPM) |
| • Dispensing Physician | • Out of State Prescriber | • Prescriber Delegate - Licensed |
| • IHS Dispenser | • Pharmacist | • Prescriber Delegate - Unlicensed |
| • IHS Prescriber | • Pharmacist in Charge | • Prescriber without DEA |
| • Medical Intern | • Pharmacist's Delegate - Licensed | • VA Dispenser |
| • Medical Intern with Prescriptive Authority | • Pharmacist's Delegate - Unlicensed | • VA Prescriber |
| • Medical Resident | • Pharmacy Technician | • Veterinarian |
| • Military Prescriber | • Physician (MD, DO) | |
| • Naturopathic Physician | • Physician Assistant | |
| • Nurse Practitioner / Clinical Nurse Specialist | | |

Law Enforcement

- ATF
- Corrections
- DEA
- Drug Court
- FBI
- Local
- Medicaid Fraud Units
- Military Police
- Multijurisdictional Task Force
- OIG
- Parole
- Probation
- State Attorney General
- State Criminal Justice Department
- State Drug Control Agent
- State Police
- State Prosecutor (District or Commonwealth Attorney)
- US Attorney
- VA Investigator

Other

- Board of Dentistry Investigator
- Board of Medicine Investigator
- Board of Nursing Investigator
- Board of Pharmacy Investigator
- Board of Podiatry Investigator
- Child Protective Service
- Licensed Addiction Counselor
- Licensing Board Investigator
- Medical Examiner/Coroner
- Peer Assistance Program / Recovering Health Professions Program
- State Medicaid Program
- Workers' Compensation

2 Registration

This chapter provides an overview of the PMP AWARe registration process as well as detailed instructions for registering for an account and registering for a delegate account.

2.1 Registration Overview

PMP AWARe requires that every individual register as a separate user, using their email address as their username within the system. A user can register as a delegate, a role that is designed to allow the user to generate reports on the behalf of another, current user; for example, a nurse at a small doctor's office could be assigned to act as a delegate to the physician to create Narx Reports for the patients whom the physician would be seeing that day. All queries run by the delegate are attributed to the prescriber for whom they run the report.

Please note that if you had an account with the previous system, you may already have an account in PMP AWARe. Please attempt to access your account by following the [Reset Password](#) instructions located in this guide before attempting to create a new account. Please utilize the email address associated with your previous account.

The registration process is comprised of four sections: Register for an Account, User Role Selection, User Demographics, and Review Profile Details. All sections must be completed before your registration is successfully submitted for processing.


Some requestor roles may also require you to upload of a copy of a current government-issued photo ID, such as a driver's license or a passport, or notarized validation documents. If required, you must submit this documentation before your account can be approved. Digital copies of these documents can be submitted through PMP AWARe after you have completed the registration pages.

2.2 Registering for an Account

To request a new account in PMP AWARe:

1. Navigate to <https://northdakota.pmpaware.net>.

The Log In page is displayed.



Log In

Email

Password

[Reset Password](#)

Log In

[Create an Account](#)

2. Click **Create an Account**.

The Register for an Account page is displayed.

Registration Process Tutorial
Can't View This File? Get Adobe Acrobat Reader

Register for an Account

Please create your own account and do not create an account on behalf of someone else.

Email

Confirm Email

Password

Confirm Password

Password Must:

- Minimum of 8 characters
- Contain one upper case letter
- Contain one lower case letter
- Contain one special character (! @ # \$ etc.)
- Maximum of 72 characters

[Continue](#)

[Already have an account? Log In](#)

[Need Help?](#)

Note: A tutorial describing the complete registration process is available by clicking the **Registration Process Tutorial** link located in the top right corner of the page.

3. Enter your current, valid email address in the **Email** field, then re-enter it in the **Confirm Email** field. The email address you provide will be your username for logging in to the system.

Note: If the email addresses you entered do not match, an error message is displayed.

Email

Confirm Email


The email addresses you entered do not match.

4. Enter a password in the **Password** field, using the password requirements provided below, then re-enter it in the **Password Confirmation** field.

Passwords must contain:

- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) special character such as !, @, #, \$, etc.
- No more than 72 characters

Note that a checkmark appears next to each requirement as it is met.



Password

Password Confirmation

Password Must:

- Minimum of 8 characters
- ✓ Contain one upper case letter
- ✓ Contain one lower case letter
- Contain one special character (! @ # \$ etc.)
- ✓ Maximum of 72 characters

If the passwords you entered do not match, an error message is displayed.


Password

Confirm Password

The passwords you entered do not match.

5. Click **Continue**.

The Account Registration: User Role Selection page is displayed.



Registration Process Tutorial
Can't View This File? Get Adobe Acrobat Reader

Account Registration

Tell us about your role

I am:

- a Healthcare Professional or Delegate
- an Agency Administration
- a Restricted Admin
- in Law Enforcement
- an Other Professional

Log out, Complete Later

Continue

Note: At this point in the registration process, you may click **Log Out, Complete Later** to save your login credentials and complete your registration at a later time. When you are ready to complete your registration, navigate to <https://northdakota.pmpaware.net>, then enter the username and password you established in the previous steps.

6. Click to select the user role category that best describes your user role type (e.g., Healthcare Professional or Delegate, Law Enforcement, etc.).

The list of available user roles in that category is displayed.

The screenshot displays the 'Account Registration' page. At the top, the title 'Account Registration' is followed by the instruction 'Tell us about your role'. Below this, a section labeled 'I am:' presents five selectable roles, each with an icon and a text label: 'a Healthcare Professional or Delegate' (highlighted with a blue border), 'an Agency Administration', 'a Restricted Admin', 'in Law Enforcement', and 'an Other Professional'. Below these options, a section titled 'Select a specific role from below' contains a vertical list of seven roles: 'Physician (MD, DO)', 'Homeopathic Physician', 'Naturopathic Physician', 'Dispensing Physician', 'Prescriber without DEA', and 'Prescriber Delegate'.

Notes:

- *The roles displayed on this page may vary depending on your state's configurations.*
- *If you are registering as a delegate, please ensure that you select the appropriate delegate user role (e.g., Prescriber Delegate, Pharmacist Delegate, etc.).*
- *If you do not see an applicable role for your profession, the State Administrator has not configured a role of that type and potentially may not allow users in that profession access to PMP AWARe. Please contact your State Administrator for more information.*

7. Click to select your user role, then click **Continue**.

The Account Registration: User Demographics page is displayed as shown on the following page.

Account Registration

Role category: **Healthcare Professional**
Role: **Physician (MD, DO)** | [Change](#)

Professional Details * Indicates Required Field

DEA Number ? *

National Provider ID

Autofill Form
Autofill the remainder of this form with the information associated with your national provider id number.

Notes:

- If you selected the wrong user role, you may click **Change**, located at the top of the page next to the user role you selected, at any time to return to the previous page and select the correct user role. Please be aware that changing your user role will cause you to lose any information you entered on the registration form.
 - The information you are required to enter on this page may vary by state. Required fields for your state are marked with a red asterisk (*). You may use the information provided below as a guideline; however, the same fields will not be displayed or required for every user role.
- a. The Professional Details section of this page allows you to enter such information as your DEA number, NPI number, professional license number, license type, and healthcare specialty.

Professional Details * Indicates Required Field

DEA Number ? *

National Provider ID

Autofill Form
Autofill the remainder of this form with the information associated with your national provider id number.

Professional License Number ? *

License Type *

Add a Healthcare Specialty *

[Browse All](#)

Search by keyword (e.g. Allergy, Internal, Sports, Clinical, etc)

★ Designates Primary Specialty

- To add your DEA number, enter it in the **DEA Number** field, and then click **Add**. You may add multiple DEA numbers, if permitted by your state, by

repeating this process for each DEA number you wish to add. Once you click **Add**, the DEA number is displayed beneath the **DEA Number** field. If necessary, you may click **Remove** next to a DEA number to remove it.

- If you have an NPI number, you can enter it in the **National Provider ID** field, then click **Autofill Form** to auto-populate the form with the demographic information associated with your NPI number.
- To search for your specialty, begin typing it in the **Add a Healthcare Specialty** field. A list of specialties matching your search criteria is displayed. Click to select your specialty from the list. You may repeat this process to select multiple specialties.

Once you have selected your specialty from the list, it is displayed beneath the **Add a Healthcare Specialty** field. If necessary, you may click the “x” to remove it.

- The Personal Information section of this page allows you to enter your personal contact information such as first and last name, date of birth, last four digits of your Social Security Number (SSN), primary contact phone number, and mobile phone number.

Personal Information

First Name * Middle Name Last Name *

Date of Birth * Last 4 digits of SSN ⓘ *

Primary Contact Phone Mobile Phone Number ⓘ *

(###) ###-#### (###) ###-####

This may be used for password reset

- c. The Employer Information section of this page allows you to enter information about your employer such as DEA number, NPI number, name, address, phone number, and fax number.

Employer Information

Employer DEA Number(s)

Employer National Provider ID(s)

Employer Name

Address Address Line 2

City State Zip Code

Phone Fax

(###) ###-#### (###) ###-####

- To add your employer's DEA or NPI number, enter it in the appropriate field, and then click **Add**. You may add multiple DEA and/or NPI numbers, if permitted by your state, by repeating this process for each DEA/NPI number you wish to add. Once you click **Add**, the DEA/NPI number is displayed beneath the appropriate field. If necessary, you may click **Remove** next to a DEA/NPI number to remove it.

Employer DEA Number(s)


MD0000000 Add

DEA Numbers Added


MD9876543 Remove

MD0000000 Remove

- d. If you selected a delegate user role (e.g., Prescriber Delegate, Pharmacist Delegate, etc.), you must add your supervisor(s) in the Delegate section of this page. *Note that this section is only displayed if you selected a delegate user role.*



- To add a supervisor, enter their current, valid email address in the **Email** field, and then click **Add**. You may add multiple supervisors by repeating this process. Once you click **Add**, the supervisor's email address is displayed beneath the **Email** field. If necessary, you may click the "x" to remove it.



Notes:

- *The supervisor must already have a registered account with your state's PMP.*
- *Ensure that you enter the supervisor's email address correctly and that it is a valid email address.*
- *You will not be able to perform Patient Requests on behalf of a supervisor until that supervisor has approved you as a delegate.*

8. Once you have entered all required information, click **Continue**.

Note: At this point in the registration process, you may click **Log Out, Complete Later** to save your login credentials and complete your registration at a later time. When you are ready to complete your registration, navigate to <https://northdakota.pmpaware.net>, then enter the username and password you established in the previous steps.

The Account Registration: Review Profile Details page is displayed.

← Back

Registration Process Tutorial
Can't View This File? Get Adobe Acrobat Reader

Account Registration

Review Profile Details

Please take a moment to review the information below before submitting.

Role category: **Healthcare Professional**
Role: **Physician (MD, DO)** | [Change](#)

DEA Number(s): MD1234567
National Provider ID:
Professional License Number: 12345 License Type: MD
Healthcare Specialty: Allopathic & Osteopathic Physicians(Family Medicine)

Personal Information [Edit](#)

First Name: TEST
Middle Name:
Last Name: USER
Date of Birth: 02/03/1983
Last 4 digits of SSN: 1234
Primary Contact Phone:
Mobile Phone Number: (555) 555-5555
Employer DEA Number(s): MD9876543, MD0000000
Employer National Provider ID(s):
Employer Name:
Address:
Address Line 2:
City:
State:
Zip Code:
Phone:
Fax:

[Log out, Complete Later](#) [Submit & Continue](#)

9. Review your information to ensure it is correct before submitting your registration.
 - a. If you need to change your user role, click **Change**, located at the top of the page next to the role you selected. *Note that changing your user role will cause you to lose any information you entered on the registration form.*
 - b. If you need to edit your personal information, click **Edit** next to the **Personal Information** section header.
10. If all information is correct, click **Submit & Continue**.

Once you have submitted your registration, you will be notified of your account status (Access Granted, [Pending Approval](#), or [Not Complete – Additional Documents Needed](#)) and instructed to [verify your email address](#).

Note: *If you are a delegate, you must also be approved by any supervisors you have selected before you can perform a Patient Request.*

- a. **Access Granted:** Certain user roles will be immediately granted access to the application provided their personal DEA numbers and professional license numbers as entered are valid and found within the registry. If you are approved, you will be presented with the End User License Agreement that you must review and accept.

End User License Agreement

TERMS AND CONDITIONS FOR USE OF THE Appriss PMP AWARxE Demo (APAD)
(Test Updated 09/22/2018)

By logging in to and using the Appriss PMP AWARxE Demo ("APAD"), you agree to abide by the requirements governing the Prescription Monitoring Program at 105 CMR 700.012 and any other applicable requirements, including, but not necessarily limited to:

- 1) Where applicable - You attest that you are a duly licensed practitioner, pharmacist or other licensed health care professional authorized to prescribe or dispense controlled substances in the Commonwealth of Kentucky.
- 2) Where applicable - You further attest that you are duly registered with the Kentucky Department of Public Health, Office of Prescription Monitoring and Drug Control, to prescribe controlled substances in at least one of the Schedules II through V or duly registered with the Board of Registration in Pharmacy to dispense controlled substances in at least one of the Schedules II through V. You also agree to promptly notify the Department of any change or proposed change in licensure or registration status.
- 3) Where applicable – You attest that you are a member of law enforcement authorized by your state or federal agency and the Kentucky Department of Public Health to access APAD, and that you are aware of and intend to comply with the restrictions on


After accepting, you will be routed to your dashboard and can begin using the application.

Note: If you are a delegate, you must be approved by any supervisors you have selected before you can perform a Patient Request.

- b. **Pending Approval:** If your account requires manual approval to complete your registration, your registration status will be "Pending Approval." You may click the plus sign (+) next to **Registration Details** to view the information you submitted. *Note that your information may not be edited at this time.* Refer to [Account Approval](#) for more information.


Registration Process Tutorial
Can't View This File? Get Adobe Acrobat Reader

Account Registration

 **Status: Your Account is Pending Approval**

Your registration information and documents are being reviewed for approval. Watch your email or log in for status updates. You can review your submitted documents below and upload more if required.

Email Verification: Not Complete - Please check your email and verify. [Resend Email](#)



 Registration Details

- c. **Not Complete – Additional Documents Required:** If your user role requires that you upload validation documents to complete your registration, your registration status will be "Not Complete – Additional Documents Required," and the Account Registration page displays the list of required documents.

Registration Process Tutorial
Can't View This File? Get Adobe Acrobat Reader

Account Registration

Status: Registration Not Complete - Additional Documents Needed

Based on the user role you've chosen, you are required to submit additional documentation. Please review the required document(s) below and upload them for review. You can complete this section now or at a later time by logging back into your account.

Once all required validation documents are received, your registration will be reviewed for approval.

Required Documents

Download the required documents if needed and upload below

Required Documents	Uploaded File
Notarized Document	No file uploaded

Choose File [Max File Size: 10MB]

Log out, Complete Later Submit Documents

- Click **Choose File** to upload the required document(s) to your account, then click **Submit Documents**;

Or

- Click **Log Out, Complete Later** to return at a later time and upload the required document(s). When you are ready to complete your registration, navigate to <https://northdakota.pmpaware.net>, then enter the username and password you established in the previous steps.

Once you have submitted your documents, you will be notified that your account is pending approval and instructed to [verify your email address](#). You may click the plus sign (+) next to **Verification Documents** and **Registration Details** to view the information you submitted. *Note that your information may not be edited at this time.* Refer to [Account Approval](#) for more information.

Registration Process Tutorial
Can't View This File? Get Adobe Acrobat Reader

Account Registration

Status: Your Account is Pending Approval

Your registration information and documents are being reviewed for approval. Watch your email or log in for status updates. You can review your submitted documents below and upload more if required.

Email Verification: Not Complete - Please check your email and verify. [Resend Email](#)

+ Verification Documents


+ Registration Details

Log Out

2.3 Verifying Your Email Address


Once you have submitted your registration, PMP AWARe sends an email to the supplied email address for verification of an active email address.

Note: If you did not receive the email containing the verification link, you may click **Resend Email** from the Account Registration page.



The screenshot shows the 'Account Registration' page. At the top right, there is a link for 'Registration Process Tutorial' and a note 'Can't View This File? Get Adobe Acrobat Reader'. The main heading is 'Account Registration'. Below it, a status icon (a person with a clock) is followed by the text 'Status: Your Account is Pending Approval'. A message states: 'Your registration information and documents are being reviewed for approval. Watch your email or log in for status updates. You can review your submitted documents below and upload more if required.' Under 'Email Verification', it says 'Not Complete - Please check your email and verify. Resend Email', with a red arrow pointing to the 'Resend Email' link. Below this are two expandable sections: 'Verification Documents' and 'Registration Details'. At the bottom left is a 'Log Out' button.

When you receive the email, it will contain a link to verify your email address. Click the **verify your email** link.



The screenshot shows an email notification. The header indicates it is from 'no-reply-pmpaware@globalnotifications.com via amazonses.com' to 'me'. The body text says: 'Thank you for beginning your registration with PMP AWARe - Demo. We have established your account with the following username and role: Username: appriss.testuser12@gmail.com. Your Role(s): Physician (MD, DO). Please [verify your email](#)'. A footer note states: 'If additional steps are required after you complete the online registration, further instructions will be emailed to you.'

Notes:


- The link contained within the email is only valid for 20 minutes. In the event that time has expired, clicking the link will result in a new email verification notification being sent to you. Click the link in the new email to verify your email address.
- If you are not able to receive HTML-formatted emails or emails with hyperlinks, please contact the help desk.

Once you click the link, you are directed to PMP AWARe, and a message is displayed indicating that your email address has been validated.

Note: If your account requires approval, you will not have full access to PMP AWARe functionality, including performing patient requests, until your account is approved. Please refer to [Account Approval](#) for more information.

2.4 Account Approval

Once the State Administrator has determined that all you have met all account requirements and has approved your account, you will receive an email stating that your account has been approved and is now active.



Once you receive the account approval email, you can log in to PMP AWARe using the email address and password you created when you registered.

Note: If you no longer have the password, you can reset it by following the instructions in the [Reset Password](#) section of this document.

After accepting, you will be routed to your dashboard and can begin using the application.

Notes:

- If you are a delegate, you must be approved by any supervisors you have selected before you can perform a Patient Request.
- If configured by your state, upon logging in, you may be presented with the End User License Agreement that you must review and accept prior to using the application.

A screenshot of a web-based 'End User License Agreement' (EULA) form. The title is 'End User License Agreement'. Below it, the text reads: 'TERMS AND CONDITIONS FOR USE OF THE Appriss PMP AWARe Demo (APAD) (Test Updated 09/22/2018)'. The main body of the agreement states: 'By logging in to and using the Appriss PMP AWARe Demo ("APAD"), you agree to abide by the requirements governing the Prescription Monitoring Program at 105 CMR 700.012 and any other applicable requirements, including, but not necessarily limited to:'. There are three numbered points: 1) 'Where applicable - You attest that you are a duly licensed practitioner, pharmacist or other licensed health care professional authorized to prescribe or dispense controlled substances in the Commonwealth of Kentucky.' 2) 'Where applicable - You further attest that you are duly registered with the Kentucky Department of Public Health, Office of Prescription Monitoring and Drug Control, to prescribe controlled substances in at least one of the Schedules II through V or duly registered with the Board of Registration in Pharmacy to dispense controlled substances in at least one of the Schedules II through V. You also agree to promptly notify the Department of any change or proposed change in licensure or registration status.' 3) 'Where applicable - You attest that you are a member of law enforcement authorized by your state or federal agency and the Kentucky Department of Public Health to access APAD, and that you are aware of and intend to comply with the restrictions on...'. At the bottom, there are two buttons: 'I Agree' (highlighted in purple) and 'Cancel'.


3 Basic System Functions

This chapter describes how to log in to PMP AWARxE, the Requestor Dashboard that is displayed upon logging in, and how to log out.

3.1 Log In to PMP AWARxE

1. Navigate to <https://northdakota.pmpaware.net>.

The Log In page is displayed.



2. Enter the email address you provided when you registered in the **Email** field.
3. Enter your password in the **Password** field.

Note: If you have forgotten your password, click **Reset Password**. You will be prompted to enter the email address registered to your account. Once you have entered a valid, registered email address, you will receive an email with a link to reset your password.

4. Click **Log In**.

The My Dashboard page is displayed. Please refer to the [My Dashboard](#) section for a complete description of the dashboard.

3.2 My Dashboard

Upon logging in to PMP AWARxE with an approved account, the requestor dashboard (My Dashboard) is displayed. This dashboard provides a quick summary of pertinent items within PMP AWARxE, including State Administrator announcements, your recent patient searches, patient alerts, and, if applicable, your delegate's or supervisor's status. My Dashboard can be accessed at any time by clicking **Menu > Dashboard** (located under **Home**).

My Dashboard

Patient Alerts

PATIENT ALERTS

No Patient Alerts Received

Recent Requests

RECENT REQUESTS

Patient Full Name	DOB	Status	Request Date	Delegate
Adam Smith	01/01/1900	Verified	01/01/2017 2:58PM	Test Name
Adam Smith	01/01/1900	Verified	01/01/2017 2:58PM	Test Name
Adam Smith	01/01/1900	Verified	01/01/2017 2:58PM	Test Name
Adam Smith	01/01/1900	Verified	01/01/2017 2:58PM	Test Name
Adam Smith	01/01/1900	Verified	01/01/2017 2:58PM	Test Name

View Requests History

Delegates

DELEGATES

Delegate Name	Status	Request Date
Adam Smith	Verified	01/01/2017 2:58PM
Adam Smith	Verified	01/01/2017 2:58PM
Adam Smith	Verified	01/01/2017 2:58PM
Adam Smith	Verified	01/01/2017 2:58PM
Adam Smith	Verified	01/01/2017 2:58PM

PMP Announcements

01/01/2017

Lorem ipsum dolor sit amet, asd sdfasdf dffconsectetur adipiscing elit,

View all announcements

Quick Links

State Board of Medicine

Sample Link

Sample Link

Sample Link

3.2.1 Patient Alerts

This section displays the most recent patient alerts.

Note: This section is user role dependent, meaning that certain roles will be unable to view this section.

- New alerts (i.e., those that have not been viewed) are displayed in **bold** with the word “**NEW**” next to them.
- You can download the letter associated with the alert by clicking **Download PDF**.
- You can view the Patient Request associated with a patient by clicking the patient’s name.

- You can click **Patient Alerts**, located at the top of the section, to access a full listing of patient alerts. You can also access patient alerts at any time by clicking **Menu > Patient Alerts** (located under **Rx Search**).

3.2.2 Recent Requests

This section displays your most recent patient searches, including those performed by one of your delegates.

- You can view the Narx Report by clicking the patient's name.
- You can view a list of all past requests by clicking **View Requests History**. You can also access your request history at any time by clicking **Menu > Requests History** (located under **Rx Search**).

Note: The report that is displayed when you click the patient's name is a historical report, meaning that it contains the data that was viewed when the report was initially run. For instructions on performing new patient Rx history searches, please refer to the [Creating a Patient Request](#) section.

3.2.3 Delegates/Supervisors

This section displays your delegates or supervisors, depending on your user role.

- If you are a supervisor, you can quickly change a delegate's status from the dashboard by clicking the delegate's name. Once you click the delegate's name, the Delegate Management page is displayed, and you can approve, reject, or remove a delegate from your profile.
- You can click **Delegates**, located at the top of the section, to access the Delegate Management page. The Delegate Management page can also be accessed at any time by clicking **Menu > Delegate Management** (located under **My Profile**). For additional information regarding delegate management, please refer to the [Delegate Management](#) section.


3.2.4 Announcements and Quick Links

This section displays announcements from your State Administrator as well as links to webpages outside of AWARe that may be of use to you.

- The quick view only displays the first few lines of text; however, you can click **PMP Announcements**, located at the top of the section, to display the full announcement text. You can access the Announcements page at any time by clicking **Menu > Announcements** (located under **Home**).
- The announcements displayed in this section are configured by your State Administrator. Announcements can be configured as role-specific, meaning that a user whose role is "physician" may see an announcement, whereas a user whose role is "delegate" may not.
- Quick links are also configured by your State Administrator. Any links configured will be visible toward the bottom right of the dashboard in the Quick Links section.

3.3 Log Out of PMP AWARe

To log out of the system, click the arrow next to your username (located in the top right corner of the page), and then click **Log Out**.




4 RxSearch

The RxSearch section of the PMP AWARxE menu contains the query functions available to you. These functions may include:

- [Creating a patient request](#)
- [Viewing patient reports](#)
- [Performing a bulk patient search](#)
- [Viewing historical requests](#)
- [Viewing a report of prescriptions attributed to you](#)

Note: You may not have access to all of the reports listed above. The functions available under **RxSearch** may vary depending on your user role and the settings enabled by your State Administrator. If you do not have access to a report and you think you should, please contact your State Administrator.



4.1 Creating a Patient Request

The Patient Request allows you to create a report that displays the prescription drug activity for a specific patient for the specified timeline.

1. [Log in to PMP AWARxE](#).
2. Click **Menu > Patient Request**.

The Patient Request page is displayed.

A screenshot of the 'Patient Request' form within the PMP AWARxE application. The form is titled 'Patient Request' and includes a 'Patient Info' section with fields for 'First Name*', 'Last Name*', 'Date of Birth*', and checkboxes for 'Partial Spelling'. Below this is a 'Prescription Fill Dates' section with a date range selector. The form is displayed on a page with a header showing 'RxSearch > Patient Request' and a logo for 'PMP AWARxE DEMO'. A note about a missing tutorial file is also visible.

Note: A tutorial describing the complete patient request creation process is available by clicking the **Patient Rx Request Tutorial** link located in the top right corner of the page.

3. Enter the required information, noting that required fields are marked with a red asterisk (*). At a minimum, you must complete the following fields:

Field Name	Notes
Patient Info	
First Name	Enter the patient's complete first and last name; Or Click the Partial Spelling checkbox to search by a partial first and/or last name. This option can be helpful when searching hyphenated names or names that are often abbreviated, such as "Will" vs. "William." Note: The Partial Spelling function requires at least three letters. If the patient's name contains only one or two letters, please do not attempt a partial search. 1. After you have finished entering the patient's information and clicked Search , you may be presented with a multiple patient pick list. This list will contain demographic information on the patient to help you determine the correct patient. 2. Select the appropriate patient record(s), then click Run Report . Please refer to Partial Search Results for more information.
Last Name	
Date of Birth	Use the MM/DD/YYYY format, or select a date from the calendar that is displayed when you click in this field.
Prescription Fill Dates	
From	Use the MM/DD/YYYY format, or select a date from the calendar that is displayed when you click in these fields.
To	

Note: If you are a delegate, you must select a supervisor from the **Supervisor** field, located above the Patient Info section of the page.

If no supervisors are available, please contact your supervisor(s) to approve your account or add the supervisor under My Profile. Current supervisors and their statuses are displayed on your dashboard. Refer to the [Delegates/Supervisors](#) section of My Dashboard or the [My Profile](#) section for further instructions.

4. If desired, you may enter additional patient information in the Patient Location section of the page, including the patient's state and ZIP code; however, it is recommended that you *do not* use the ZIP code to search.
5. If you require information from other states, click the checkbox next to the desired state(s) in the PMP InterConnect Search section of the page.

PMP Interconnect Search

To search in other states as well as your home state for patient information, select the states you wish to include in your search

A ☐ Arizona

C ☐ Colorado ☐ Connecticut

I ☐ Idaho

K ☐ Kansas

M ☐ Massachusetts ☐ Michigan ☐ Minnesota

N ☐ New York

O ☐ Ohio PMP

R ☐ Rhode Island

T ☐ Tennessee CSMD

V ☐ Vermont

Notes:

- *Partial search is not available when searching other states. If you have selected partial search, the PMP InterConnect Search section will be removed from the bottom of the page.*
- *If a state is not included on the list, data sharing with that state is not currently in place, or your user role does not allow for data sharing. Please contact your State Administrator for more information.*

6. Once you have entered all the required search criteria, click **Search**.
 - d. If your search results return a single patient, the Narx Report is displayed. Refer to the [Viewing a Narx Report](#) section for more details regarding the Narx Report.

RxSearch > Patient Request

Your Logo Here

[Patient Name], 64M

Narx Report Resources

Date: 8/23/2018 Print Report Download CSV

Risk Indicators


NARX SCORES			OVERDOSE RISK SCORE	ADDITIONAL RISK INDICATORS (2)
Narcotic	Sedative	Stimulant	530 <small>(Range 000-999)</small>	<div style="color: red; font-weight: bold;">1</div> >= 5 opioid or sedative providers in any year in the last 2 years <div style="color: red; font-weight: bold;">1</div> > 100 MME total and 40 MME/day average
380	440	000		
<small>Explanation and Guidance</small>			<small>Explanation and Guidance</small>	<small>Explanation and Guidance</small>

This NarxCare report is based on search criteria supplied and the data entered by the dispensing pharmacy. For more information about any prescription, please contact the dispensing pharmacy or the prescriber. NarxCare scores and reports are intended to aid, not replace, medical decision making. None of the information presented should be used as sole justification for providing or refusing to provide medications. The information on this report is not warranted as accurate or complete.

Graphs

Note: If you need a PDF or CSV version of the report, you can click **Download PDF** or **Download CSV**, located in the top right corner of the report.

- e. If the search could not determine a single patient match, a message is displayed indicating that multiple patients were found.
 - If you searched for an exact patient name and multiple patients were found, refer to the [Multiple Patients Identified](#) section.
 - If you searched for a partial patient name and multiple patients were found, refer to the [Partial Search Results](#) section.
- f. If your search does not return any results, a message is displayed indicating that either no patient matching your search criteria could be identified or the patient was identified but no prescriptions were found. Refer to the [No Results Found](#) section for more information.
- g. If you are a delegate, your request will be forwarded to your supervisor for review. Your request must be approved by your supervisor before you can view the results.



4.1.1 Multiple Patients Identified

1. If you searched for an exact patient name and multiple patients were found, a message is displayed indicating that multiple patients matching your search criteria have been identified.

Multiple Patients Found

Why do I see this?

We identified multiple patients who match the criteria you provided. You have the following options:

- [Refine your search](#) by providing additional search information.
- Select any patient group to run a report.
- If you believe more than one group identifies your patient, select them to run a report.

☐ Patient 2614

Name	DOB	Gender	Address
Test Patient	1900-01-01	male	9701 MONROVIA ST, OVERLAND PARK, KS 66215
test patient	1901-01-01	male	10401 LINN STATION RD, LOUISVILLE, KY 40223
test patient	1900-01-01	unknown	10401 LINN STATION RD, LOUISVILLE, KY 40223
TEST PATIENT	1900-01-01	unknown	555 FAKE DR, PHOENIX, AZ 85001
Test Patient	1900-01-01	male	10401 LINN STATION RD, LOUISVILLE, KY 40223

☐ Patient 2615

Name	DOB	Gender	Address
Test Patient	1900-01-01	male	123 Main Street , Maineville, MN 12345

Refine Search Criteria

Run Report

2. From this window, you can:
 - a. Click **Refine Search Criteria** to return to the Patient Request page, refine your search criteria, and re-run the report;
 - Or
 - b. Select one or more of the patient groups displayed, and then click **Run Report**.

The Narx Report for the patient group(s) you selected is displayed.

RxSearch > Patient Request

Your Logo Here

Powered by **Awarx** Support

Narx Report Resources

Date: 8/23/2018 Print Report Download CSV

Risk Indicators

NARX SCORES

Narcotic	Sedative	Stimulant
380	440	000

Explanation and Guidance

OVERDOSE RISK SCORE

530
(Range 000-999)

Explanation and Guidance

ADDITIONAL RISK INDICATORS (2)

- 1) 5 opioid or sedative providers in any year in the last 2 years
- 2) 100 MME total and 40 MME/day average

Explanation and Guidance

This NarxCare report is based on search criteria supplied and the data entered by the dispensing pharmacy. For more information about any prescription, please contact the dispensing pharmacy or the prescriber. NarxCare scores and reports are intended to aid, not replace, medical decision making. None of the information presented should be used as sole justification for providing or refusing to provide medications. The information on this report is not warranted as accurate or complete.

Graphs

4.1.2 Partial Search Results

1. If you searched for a partial patient name and multiple patients were found, a message is displayed indicating that multiple patients match your search criteria.

Results

4 matching patient records found [Refine Search](#)

Select patient(s) to include in the report

<input type="checkbox"/> Test Patient	DOB: 1900-01-01	Gender: unknown	MELODY JUNCTION 4 LA VERNE CO 1307005
<input type="checkbox"/> Test Patient	DOB: 1900-01-01	Gender: male	10401 LINN STATION RD LOUISVILLE KY 40223
<input type="checkbox"/> Test Patient	DOB: 1900-01-01	Gender: male	10401 Linn Station Road Louisville KY 40223
<input type="checkbox"/> Test Patient	DOB: 1900-01-01	Gender: male	123 Main Street Maineville MN 12345

[Run Report](#)

2. From this window, you can:
 - a. Click **Refine Search** to return to the Patient Request page, refine your search criteria, and re-run the report;
 - Or
 - b. Select one or more of the patients displayed, and then click **Run Report**.

The Narx Report for the patient(s) you selected is displayed.

4.1.3 No Results Found

1. If your search criteria could not be matched to any patient records, a message is displayed indicating that no matching patient could be identified.

Or

2. If your search criteria matches a patient record but the patient has no prescriptions within the specified timeframe, a message is displayed indicating that the patient was found but no prescriptions were found.

3. Click **Change Date Range** to return to the Patient Request page, enter a different date range, and re-run the report.

Notes:

- *Be sure to verify that all information entered on the request was entered correctly (e.g., verify that the first and last names were entered in the correct fields, verify the patient's birthdate, etc.).*
- *If **Partial Search** was not originally selected, you can click the **Partial Search** checkbox to expand your search results. You can also enter additional demographic information, such as a ZIP code, to perform a fuzzy search.*

4.2 Viewing a Narx Report

Once your report results are returned, the Narx Report is automatically displayed. You may also access your previously requested Narx Reports at any time by clicking **Menu > Requests History**. Refer to the [Requests History](#) section for more information.

For complete information on the Narx Reports, and for more information on the NarxCare system, please refer to [Appendix A: NarxCare](#).


4.3 Bulk Patient Search

The Bulk Patient Search functionality is similar to the Patient Request functionality; however, it allows you to enter multiple patients at once rather than one at a time. You can enter patient names manually or via CSV file upload.

To perform a Bulk Patient Search:

1. Click **Menu > Bulk Patient Search**.

The Bulk Patient Search page is displayed.



- a. If you wish to enter patients manually, continue to step 2;
 - Or
 - b. If you wish to enter patients via CSV file upload, continue to [step 6](#).
2. Ensure that **Manual Entry** is selected in the **How do you want to enter patients?** field at the top of the page.



The Manual Entry search is displayed.

The screenshot shows the 'Manual Entry' search form. It has four input fields: 'First Name*', 'Last Name*', 'Date of Birth*' (with a placeholder 'MM/DD/YYYY'), and 'Zip Code'. To the right of these fields is a purple 'Add +' button. Below these fields is a section titled 'Name Grouping' with a subtext 'Enter a name for this search session. This will make it easy to distinguish between searches in the history' and a 'Group Name*' input field. At the bottom is a 'Prescription Fill Dates' section with the subtext 'No earlier than 2 years and 6 months from today' and two date pickers labeled 'From*' and 'To*', with example dates '05/29/2017' and '05/29/2018' respectively.

3. Complete the following required fields:

- **First Name** – enter the patient’s complete first name
- **Last Name** – enter the patient’s complete last name
- **DOB** – enter the patient’s date of birth using the *MM/DD/YYYY* format, or select a date from the calendar that is displayed when you click in this field

Note: You may also enter the patient’s ZIP code; however, it is not recommended.

4. Once you have entered the patient’s information, click **Add** to add an additional patient.

5. Repeat steps 2–3 until all patients have been entered.

Note: Once you have finished entering patients, continue to [step 14](#).

6. To enter patients via CSV file upload, click the **File Upload** radio button in the **How do you want to enter patients?** field at the top of the page.


The screenshot shows the 'Bulk Patient Search' form. It has a section titled 'How do you want to enter patients?' with two radio buttons: 'Manual Entry' and 'File Upload'. The 'File Upload' radio button is selected.

The File Upload search is displayed.

The screenshot shows the 'File Upload' search form. It has a subtext 'Upload a CSV file that includes patients by first name, last name and date of birth. [View Sample file](#)'. Below this is a file upload area with a 'Choose a file' button, a 'Choose File' button, and a 'Clear' link. At the bottom is a purple 'Validate Format' button.

7. Click **View Sample File** to download the sample CSV file.

8. Open the sample CSV file and complete the required fields.



Notes:

- The patient's complete first name, last name, and date of birth (using the MM/DD/YYYY format) are required.
- You may enter the patient's ZIP code; however, it is not recommended.

9. Once you have entered all patient information, save the file to your computer.

Note: When naming your file, do not include spaces.

10. Click **Choose File**, then select the file you created in step 9.
11. Click **Validate Format** to download a validation report and ensure all records were entered correctly.
12. Once you open the validation report, any errors in your data will be listed in the **Errors** column. Please correct the errors and resubmit the corrected file. Note that if the **Errors** column is blank, the data is acceptable.

Examples:

- File with errors:

first_name	last_name	birthdate	postal_code	errors
john		1/1/1950		Last name can't be blank
	smith	1/1/1960		First name can't be blank
sally	smith			Birthdate can't be blank
ronald	smith	1/1/1970		

- *File with no errors:*

first_name	last_name	birthdate	postal_cod	errors
john	smith	1/1/1950		
first_name	last_name	birthdate	postal_cod	errors
adam	smith	1/1/1960		
first_name	last_name	birthdate	postal_cod	errors
sally	smith	1/1/1970		


- Repeat steps 10–12 until all errors have been corrected. Once all errors have been corrected and your file is validated, or if your file has no errors, continue to step 14.

- Enter a name for your search session in the **Group Name** field.

Note: Providing a group name will help you more easily distinguish between searches in the Bulk Patient History tab.

- Enter the timeframe for which you wish to search in the **From** and **To** fields using the **MM/DD/YYYY** format.
- If you wish to include other states in your search, click the checkbox next to the desired state(s) in the PMP Interconnect Search section of the page.
- Click **Search**.

A message is displayed indicating that your search is being processed.


Success
 Your Bulk Request validated successfully and is now being processed. Results can be found in Bulk Patient History tab.
 DISMISS

4.3.1 Viewing Bulk Patient Search Results

- To obtain the results of a Bulk Patient Search, or to view previous searches, click the **Bulk Search History** tab (**Menu > Bulk Patient Search > Bulk Patient History**).

Bulk Patient Search

Bulk Patient History

Bulk Patient Search

How do you want to enter patients?

☒ Manual Entry
☐ File Upload

The Bulk Search History page is displayed.

Bulk Patient Search

Bulk Patient History

Bulk Search History

Select a group name to view reports run in that session.

Bulk Search Name	Number of Patients	Date Requested	Processing	Incomplete	Ready
Test Group 2 052918	2	05-29-2018	2	0	0
Test Group 52918	2	05-29-2018	0	0	0

Notes:

- The **Number of Patients** column provides the total number of patients included in your search.
- The **Processing** column provides the total number of searches remaining to be processed. If the number is "0," your search is complete.
- The **Incomplete** column provides the number of patient records that could not be found.
- The **Ready** column provides the number of patient search results available.

2. Click the **Bulk Search Name** to view the results of that search.

The Bulk Patient Summary is displayed.

Bulk Patient Search
Bulk Patient History

Back
Download PDF

Group Name

7.13 Patients

Prescription Fill Dates: 07/13/2017 - 07/13/2018
PMP InterConnect States:
Report Prepared: 07/13/2018 03:19 PM

Bulk Patient Summary
Select a patient to view the report

Patient Full Name	DOB	Prescribers	Dispensers	Prescriptions	Supervisor	Status
alex doe	01/01/1900	9	2	9		Incomplete
alice testpatient	01/01/1900	4	3	10		Ready
bob testpatient	01/01/1900	6	7	15		Incomplete
dave testpatient	01/01/1900	7	6	26		Ready
john doe	01/01/1900	1	1	1		Ready

3. From this page, you can:

- Click **Download PDF** to export the Bulk Patient Summary. *Note that only the Bulk Patient Summary can be downloaded from this page. Individual Narx Reports must be exported from the Narx Report page.*
- If the **Status** column for an individual patient indicates **Ready**, click that patient's name to display the search details.

The search details are displayed below the table.

Bulk Patient Summary
Select a patient to view the report

Patient Full Name	DOB	Prescribers	Dispensers	Prescriptions	Supervisor	Status
bob testpatient	01/01/1900	6	6	11		Ready
john doe	01/01/1900	0	0	0		No RXs Found

bob testpatient
Refresh
View

Date of Birth: 01/01/1900
Location:
PMPi States:
Reason:
Prescription Fill Dates: January 13, 2018 until July 13, 2018

When viewing the search details, you can:

- Click **View** to display the Narx Report.

Note: For more information on viewing report results, please refer to [Viewing a Narx Report](#).

- Click **Refresh** if you are reviewing a previous report and wish to run a current report.

4.3.2 Incomplete Bulk Patient Search Results

The **Status** column for an individual patient may indicate **Incomplete** for two reasons: **No Matching Patient Identified** or **Multiple Patient**. Upon clicking the patient's name, the reason is listed in the **Reason** field of the search details.

Bulk Patient Summary						
Select a patient to view the report						
Patient Full Name	DOB	Prescribers	Dispensers	Prescriptions	Supervisor	Status
adam doe	01/01/1900	0	0	0		Incomplete
dave testpatient	01/01/1900	7	6	26		Ready

adam doe	Try Again
----------	---------------------------

Date of Birth: 01/01/1900 Location: PMPI States: Reason: No Matching Patient Identified Prescription Fill Dates: July 13, 2017 until July 13, 2018

1. **No Matching Patient Identified.** The system was not able to locate a patient matching your search criteria. Click **Try Again** to open the Patient Request page where you can perform a partial search or modify your search criteria.
2. **Multiple Patient.** The system identified multiple patients matching your search criteria. Click **Try Again** to open the Patient Request page, then click **Search** at the bottom of the page. The Multiple Patients Found window will display prompting you to select the patients for whom you wish to run a report. The Multiple Patients Found window is shown on the following page.

Multiple Patients Found

[Why do I see this?](#)

We identified multiple patients who match the criteria you provided. You have the following options:

- **Refine your search** by providing additional search information.
- Select any patient group to run a report.
- If you believe more than one group identifies your patient, select them to run a report.

☐ **Patient 2786**

Name	DOB	Gender	Address
BOB TESTPATIENT	1900-01-01	female	1023 NOT REAL ST, WITCHITA, KS 67203

☐ **Patient 2787**

Name	DOB	Gender	Address
BOB TESTPATIENT	1900-01-01	male	1023 NOT REAL ST , WITCHITA, KS 67203
BOB TESTPATIENT	1900-01-01	female	1023 NOT REAL ST, WITCHITA, KS 67203
BOB TESTPATIENT	1900-01-01	male	1023 NOT REAL ST, WITCHITA, KS 67203
Bob Testpatient	1900-01-01	unknown	1023 NOT REAL STREET , WITCHITA, KS 67203

Select the correct patient(s), and then click **Run Report** to view the Narx Report. For more information on viewing report results, please refer to [Viewing a Narx Report](#).

4.3.3 No Prescriptions Found in Bulk Patient Search

If the **Status** column indicates **No RXs Found** for a patient, the patient exists in the database, but no prescriptions were reported for the patient in your report timeframe. Upon clicking the patient's name, **No Prescriptions Found in Date Range** will be indicated in the **Reason** field.

Patient Full Name	DOB	Prescribers	Dispensers	Prescriptions	Supervisor	Status
bob testpatient	01/01/1900	6	6	11		Ready
john doe	01/01/1900	0	0	0		No RXs Found

john doe

Date of Birth: 01/01/1900
Location:
PMPi States:
Reason: No Prescriptions Found in Date Range
Prescription Fill Dates: January 13, 2018 until July 18, 2018

You may click **View** if you need to export the blank report, or you may click **Refresh** to display the Patient Request page where you can change the date range and run a new report.

4.4 Requests History

- To view a previously created Narx Report, click **Menu > Requests History**.
The Requests History page is displayed.

Patient First Name	Patient Last Name	Requestor	Requested For	Request Type	Status	Date Requested
Bob	TestPatient	You		AWARxE	Needs Consolidation	05/29/2018 3:04 PM
Test	Patient	You		AWARxE	Complete	05/29/2018 2:44 PM
Bob	TestPatient	You		AWARxE	Complete	05/29/2018 2:44 PM
Test	Patient	You		AWARxE	Pending	05/29/2018 2:14 PM
Bob	Testpatient	You		AWARxE	Pending	05/29/2018 2:14 PM
Bob	TestPatient	You		AWARxE	Needs Consolidation	05/29/2018 1:10 PM

Note: You can only view Narx Reports you or your delegate(s) have created.

- From this page, you can:
 - Click **Advanced Options** to filter the list of requests.

- Click **Download PDF** or **Download CSV** to export your search history.
- Click a patient name to view the details of that request in a detail card at the bottom of the page.

- Click **View** to display the results of the previously submitted request. Refer to [Viewing a Narx Report](#) for details regarding Narx Reports.

Note: The results of previous requests are not updated with new information. The results displayed are the results at the time the original search was performed.

- Click **Refresh** to generate a new Narx Report for the selected patient. The Patient Request page will be displayed with the patient's information automatically populated. Refer to [Creating a Patient Request](#) for complete instructions on generating new requests.

4.5 My Rx

If you have a DEA number associated with your AWARxE account, My Rx allows you to run a report that displays the filled prescriptions for which you were listed as the prescriber.

Note: This functionality is only available if you have a DEA number associated with your user profile.

To run the My Rx report:

1. Click **Menu > My Rx**.

The My Rx search page is displayed.

MyRx Request MyRx History Support: 1-866-Appriss

My Rx

* Indicates Required Field

Prescriptions Written
No earlier than 2 years from today

From* To*
MM/DD/YYYY MM/DD/YYYY

DEA Numbers
☒ MD1234568

Generic Drug Name (Optional)
Drug Name

Search

2. Enter the date range for your search in the **From** and **To** fields using the **MM/DD/YYYY** format.
3. Click the checkbox next to the DEA number(s) for which you wish to run a report.
4. If you wish to search for a specific drug, enter the generic drug name in the **Drug Name** field.
5. Click **Search**.

Your report results are displayed. If configured by your PMP Administrator, you may click **Download PDF** or **Download CSV** to export your report results.

4.6 Patient Alerts

This function displays your available patient alerts.

Note: This section is user role dependent, meaning that certain roles will be unable to view this section.

To access these alerts, click **Menu > Patient Alerts**.

The Patient Alerts page is displayed.

- New alerts (i.e., those that have not been viewed) are displayed in **bold** with the word **“NEW”** next to them.
- You can download the letter associated with the alert by clicking **Download PDF**.

- You can view the Patient Request associated with a patient by clicking the patient's name.

5 Rx Management

The Rx Management page, located under **Menu > Data**, allows you to manage prescriptions within PMP AWAxE. If you are a dispenser, you can correct dispensation errors, modify inaccuracies on existing prescriptions (e.g., incorrect prescriber information), add new prescriptions, and review prescription history for the pharmacy.

Notes:

- Depending on the settings enabled by your State Administrator for the portal in general and for specific roles types, different options may be available. The screenshots and descriptions in the following sections are all inclusive. If an option is not available, then it has not been enabled by your State Administrator.
- In order to utilize this functionality, you must have an Employer Identifier on your account and agree that you are responsible for correcting/maintaining prescription information of the employer Identifier for submission to PMP AWAxE. This must be done during registration. If you have already registered and do not have any Pharmacy Identifiers available for selection, please contact your State Administrator to have the necessary Identifiers added and to agree to the terms of use.

5.1 Error Correction

The Error Correction page displays a list of erroneous records submitted by you or by your employer, if applicable. To access the Error Correction page, click **Data > Rx Management > Error Correction**.

powered by **AWAxE**

Support: 1-866-Appriss

Error Correction

Rx Maintenance

New Rx

PharmacyRx

PharmacyRx History

Advanced Options ▾

START DATE 06/01/2018

END DATE 06/20/2018

Search

Rx Error List

Download PDF

Download CSV

Displaying 7 of 7

Rx Number	Date Filled	Pharmacy Name	Pharmacy DEA	Pharmacy NCPDP	Errors
6U6wIacxzEjVN13u1	06/04/2018	Carter-Morissette	AS0000000	4305074	2
IVXVycLZG0bgSL	06/07/2018	Carter-Morissette	AS0000000	4305074	1
yXNJEaX91YMqA1VZp	06/07/2018	Carter-Morissette	AS0000000	4305074	1
NX6HiW2Glqfd9Iz53	06/07/2018	Carter-Morissette	AS0000000	4305074	1
UTzXQAYppaJyQs0e8Tcj	06/08/2018	Carter-Morissette	AS0000000	4305074	2
Nbxzu9Ycn	06/09/2018	Carter-Morissette	AS0000000	4305074	2
NwY	06/09/2018	Carter-Morissette	AS0000000	4305074	2

From this page, you can search for specific records and/or correct the errors.

Note: Error correction within AWAxE is only available for prescriptions submitted via SFTP, file upload, or real-time submission to PMP Clearinghouse. Any prescriptions

submitted via Universal Claim Form cannot be submitted to PMP AWARxE with a validation error, as the error must be corrected prior to submission.

5.1.1 Search for a Record

1. From the Error Correction tab, click **Advanced Options**.

2. Enter your search criteria in the appropriate field(s). You may search by any or all of the following:
 - Pharmacy Identifier
 - RX Number
 - Fill Start Date
 - Fill End Date
3. Click **Search**.

A list of records matching your search criteria is displayed.

Rx Number	Date Filled	Pharmacy Name	Pharmacy DEA	Pharmacy NCPDP	Errors
6U6wIacxEjVN13u1	06/04/2018	Carter-Morissette	AS0000000	4305074	2
IVXVycLZG0bgSL	06/07/2018	Carter-Morissette	AS0000000	4305074	1
yXNJ EaX91YMqA1VZp	06/07/2018	Carter-Morissette	AS0000000	4305074	1
NX6HIW2GId9Iz53	06/07/2018	Carter-Morissette	AS0000000	4305074	1
UTzXQAYppaJyQs6e8Tq	06/08/2018	Carter-Morissette	AS0000000	4305074	2
Ntxzu9Ycn	06/09/2018	Carter-Morissette	AS0000000	4305074	2
NwY	06/09/2018	Carter-Morissette	AS0000000	4305074	2

5.1.2 Correct an Error

1. From the Error Correction page, click the link in the **Rx Number** column for the record you wish to correct.

Powered by **AWORX**
Support: 1-866-Appriss

Error Correction Rx Maintenance New Rx PharmacyRx PharmacyRx History

Advanced Options

Rx Error List

Displaying 7 of 7

Rx Number	Date Filled	Pharmacy Name	Pharmacy DEA	Pharmacy NCPDP	Errors
6U6wIacxzEjVN13u1	06/04/2018	Carter-Morrisette	AS0000000	4305074	2
IVXVycLZG0bgSL	06/07/2018	Carter-Morrisette	AS0000000	4305074	1
yXNUeAX91YMqA1VZp	06/07/2018	Carter-Morrisette	AS0000000	4305074	1
NX6HW2GId9Iz53	06/07/2018	Carter-Morrisette	AS0000000	4305074	1
UTzXQAYppaJyQs6e8Tcj	06/08/2018	Carter-Morrisette	AS0000000	4305074	2
Nbxzu9Ycn	06/09/2018	Carter-Morrisette	AS0000000	4305074	2
NwY	06/09/2018	Carter-Morrisette	AS0000000	4305074	2

The record is displayed. *Note that the number of errors in the record is displayed at the top of the page.*

Rx #6U6wIacxzEjVN13u1 ✖ 2 Errors Unresolved

Patient

First Name* Address* ID Type

Middle Name Address Line 2 ID Number

Last Name* City* Patient Location

DOB* State* Phone Number

Gender* Postal Code*

2. Scroll through the record to locate the error(s). Fields containing errors are red, and the specific error message is displayed below the field.

Drug

NDC Number ☐ Compound Quantity Units

Quantity value must fall between 0 and 9999.

3. Correct the error(s), and then click **Submit**.
 - a. If all errors have been resolved, the record is submitted.
 - Or
 - b. If there are still errors on the page, the number of errors is displayed at the top of the page. Repeat steps 2–3 until all errors have been corrected.

5.2 Rx Maintenance

Rx Maintenance allows you to search for a specific prescription record and correct or void that record. To access the Rx Maintenance page, click **Data > Rx Management > Rx Maintenance**.

Rx Search

*Requires at least one Pharmacy Identifier and Rx Fill Dates

Prescriptions Number

Rx Number

Prescriptions Fill Dates

From *

Search limit: 24 months

To *

Prescriber

Last Name

Pharmacy Identifiers

5.2.1 Correcting Prescriptions

To search for and correct a prescription record:

1. Complete the fields on the Rx Search page. Note that the **Pharmacy Identifiers** and **Prescription Fill Dates** fields are required.
2. Click **Search**.

Your search results are displayed.

Rx Search Results							
Identifier(s): FS4671601							
Rx Fill Dates: 06/26/2016 (adjusted)-06/26/2018							
Displaying all 5 entries							
Rx Number	Date Filled	Written At	Patient Name	Prescriber	Pharmacy Name	Pharmacy Identifier	
39467	2016-07-21	2016-07-18	DAVID SMITH	PAUL FARKAS, MD	SPRINGFIELD FAMILY PHARMACY, INC.	FS4671601	
JD1528589	2016-09-09	2016-09-09	JOHN DOE	Appriss Hospital - Resident	SPRINGFIELD FAMILY PHARMACY, INC.	FS4671601	
JD1528589	2016-09-19	2016-09-19	JOHN DOE	OHIO DOC	SPRINGFIELD FAMILY PHARMACY, INC.	FS4671601	
123450	2017-12-19	2017-12-19	GEORGE TESTPATIENT	OHIO DOC	SPRINGFIELD FAMILY PHARMACY, INC.	FS4671601	
457362	2018-01-10	2018-01-10	JOHN DOE	APPRISS HOSPITAL - RESIDENT	SPRINGFIELD FAMILY PHARMACY, INC.	FS4671601	

- Click the link in the **Rx Number** column for the record you wish to view and/or correct.

The Dispensation Correction Form page is displayed.

Dispensation Correction Form

Patient

Patient Type:
☒ Human ☐ Animal

First Name*

Middle Name

Last Name*

DOB*

Gender*

Address*

Address Line 2

City*

State*

Postal Code*

ID Type

ID Number

Patient Location

Phone Number

Pharmacy

- Make the necessary corrections, then click **Submit**.

If all fields pass validation, a message is displayed indicating that the record was successfully submitted.

Note: If any fields do not pass validation, an error message is displayed indicating that errors exist. Click **OK** on the error message, then scroll through the form to locate the errors. Fields containing errors are red, and the specific error message is displayed below the field.

Prescription

Prescription Number*

Error: Field is required.

Fill Date*


Once all errors have been corrected, click **Submit**.

5.2.2 Voiding Prescriptions

If you need to void a prescription:

- Perform steps 1–3 in the [Correcting Prescriptions](#) section to locate the prescription.
- Scroll down to the bottom of the Dispensation Correction page and click **Void**.

The Void Dispensation window is displayed asking you to confirm that you wish to void the record.

A screenshot of a web application window titled "Void Dispensation" with a close button (X) in the top right corner. The window contains the text "Are you sure you want to void this dispensation? This is a permanent change." Below this, it says "Please enter a void reason:" followed by a dropdown menu currently showing "Duplicate". At the bottom right of the window are two buttons: "Close" and "Void".

2. Select the reason you wish to void the record from the **Please enter a void reason** drop-down, then click **Void**.

Note: Voiding a record is a permanent change. In the event a record is voided that should not have been, you will need to resubmit the record.


5.3 New Rx

You can manually enter your prescription information into the North Dakota PDMP database using the Manual Submission Form within the PMP AWAxR web portal. This form allows you to enter patient, prescriber, dispenser, and prescription information.

Please refer to the *Data Submission Guide for Dispensers* for the complete list of reporting requirements.

Note: This form cannot be saved and must be completed near the time of creation to avoid loss of information.

To access the New Rx page, click **Data > Rx Management > New Rx**.

A screenshot of the "Manual Submission Form" in a web application. The form is divided into two main sections: "Patient" and "Pharmacy". The "Patient" section includes fields for Patient Type (Human/Animal), First Name, Middle Name, Last Name, Address, Address Line 2, City, State, Postal Code, ID Type, ID Number, Patient Location, DOB, and Gender. The "Pharmacy" section includes fields for Pharmacy Name and Pharmacy DEA #. The form is titled "Manual Submission Form" at the top.

To enter a new dispensation:

1. Complete the required fields.


Notes:

- A red asterisk (*) indicates a required field.
- **If you are entering a compound**, click the **Compound** checkbox in the Drug Information section of the page, complete the required fields for the first drug ingredient, then click **Add New** to add additional drug ingredients.

2. Once you have completed all required fields, click **Submit**.

If all fields pass validation, a message is displayed indicating that the record was successfully submitted.

Note: If any fields do not pass validation, the number of errors is displayed at the top of the page. Scroll through the form to locate the errors. Fields containing errors are red, and the specific error message is displayed below the field.



Prescription

Prescription Number*


Error: Field is required.

Fill Date*

Once all errors have been corrected, click **Submit**.

5.4 PharmacyRx

If you have a DEA number associated with your AWAxE account, PharmacyRx allows you to run a report that displays all dispensations associated with that DEA number. To access the PharmacyRx page, click **Data > Rx Management > PharmacyRx**.



Powered by Awarx®
Support: 1-866-Appriss

Error Correction Rx Maintenance New Rx **PharmacyRx** PharmacyRx History

PharmacyRx

DEA Numbers

☐ MD1234568

Prescription Fill Dates

From*

MM/DD/YYYY

To*

MM/DD/YYYY

Search

To perform a PharmacyRx search:

1. Click the radio button next to the DEA number for which you wish to generate the report.
2. Select the date range for the report in the **From** and **To** fields, using the *MM/DD/YYYY* format, or select a date from the calendar that is displayed when you click in these fields.

3. Click **Search**.

Your report results are displayed. If configured by your PMP Administrator, you may click **Download PDF** or **Download CSV** to export your report results.

PharmacyRx

Report Prepared: 06/18/2018
Date Range: 01/01/2017 – 06/18/2018

Download PDF
 Download CSV

Street Address City State Zip

Report Criteria

Identifier Number
AP1111119

Dispensations

Fill Date	Rx #	Name	Year of Birth	Drug Name	Qty	Supply	Refill Number	Prescriber Name	Pymt Type
05/13/2018	152847	TESTPATIENT, BOB	1900	HYDROCODON-ACETAMINOPHIN 10-325	30.0	10	0	Paul, Doctor	indian_nation
05/12/2018	152846	TESTPATIENT, ALICE	1900	HYDROCODON-ACETAMINOPHIN 10-325	30.0	10	0	Appriss, Inc	insurance
04/26/2018	AT1152500	TESTPATIENT, BOB	1900	ACETAMINOPHEN-COD #3 TABLET	3.0	3	0	WALGREEN CO., CO.	paid
04/25/2018	AT1152500	TESTPATIENT, ALICE	1900	ACETAMINOPHEN-COD #3 TABLET	3.0	3	0	Paul, Doctor	paid
04/21/2018	152847B	TESTPATIENT, BOB	1900	HYDROCODON-ACETAMINOPHIN 10-325	30.0	10	0	Paul, Doctor	insurance

6 User Profile

The User Profile section of the PMP AWARxE menu allows you to manage your AWARxE user profile, including:

- [Viewing and updating your profile information](#)
- [Managing your delegate account\(s\)](#)
- [Updating or resetting your password](#)

6.1 My Profile

My Profile allows you to view your account demographics, including user role, license numbers, employer details, etc. as well as update your address, email address, healthcare specialty, time zone, mobile phone number, and supervisor(s) (if you are a delegate).

Note: If you need to update your personal or employer identifiers (including DEA/NPI/NCPDP numbers), please contact your State Administrator.

To update your account:

1. Click **Menu > My Profile**.

The My Profile page is displayed.

My Profile

Profile Info Edit

Name: Jordan Doctor
(ACTIVE: 04/03/2018)
DOB: 01/01/1970
Primary Contact: 502-867-5309
DEA Number(s): JR1111119
Professional License #: 25235242534 Type: MD

Employer DEA(s):
Employer: Appriss Health
10401 Linn Station Rd
Louisville, KY 40223
Employer Phone: 502-867-5309
Employer Fax:
Role: Physician (MD, DO)

Specialty

Add a Healthcare Specialty *
Q Search by keyword (e.g. Allergy, Internal, Sports, Clinical, etc)

Browse All

★ Designates Primary Specialty

★ Allopathic & Osteopathic Physicians
Allergy & Immunology

Setting

Time Zone
Eastern Time (US & Canada)

Contact Information
Change email address associated with this profile
Current Email: doctorjordan@appriss.com
New Email Address
Re-enter New Email Address

Save Changes

2. Update your information as necessary. The following notes may be helpful in updating your information:
 - **Updating Employer Information:** To update your employer information, click **Edit**, located next to the **Profile Info** header. When the Edit Profile Info window is displayed, update the information, and then click **Update**.

Edit Profile Info - [Redacted]

Only the following information can be updated on your profile. Contact your state administrator if you need to update any profile information not shown below.

Employer Name

Street Address

Address Line 2

City

State

Zip Code

Employer Phone

Employer Fax

- **Healthcare Specialty:** You can add or update your healthcare specialty in the Specialty section of the page. Search for your specialty by typing a few characters into the **Healthcare Specialty** field, or click **Browse All** to view all available specialties and select yours from the list. If you have multiple specialties, you can designate your primary specialty by clicking the star icon to the left of the specialty. To remove a specialty, click the “x” button to the right of the specialty.


Specialty

Add a Healthcare Specialty Browse All

★ Designates Primary Specialty

★ Allopathic & Osteopathic Physicians
Dermatology

- **Updating Time Zone:** To update your time zone, select the correct time zone from the **Time Zone** drop-down.
- **Adding Supervisors:** If you are a delegate, you may add supervisors to or remove supervisors from your account in the Supervisors section of the page. To add a supervisor, enter the supervisor's email address, and then click **Add**. To remove a supervisor, click the "x" button next to the supervisor.




- **Contact Information:** You may update the email address and mobile phone number associated with your account in the Contact Information section of the page.

To update the email address associated with your account, enter the new email address in the **New Email Address** field, then re-enter it in the **Re-enter Email Address** field. Once your changes have been saved, you will receive an email asking you to verify the new email address. Please ensure that you click the link in the verification email to verify your new email address. *Note that the verification link is only valid for 20 minutes. If you click the verification link after it has expired, you will be sent a new link.*

To update the mobile phone number associated with your account, enter the new phone number in the **New Mobile Phone Number** field, then re-enter it in the **Re-enter New Mobile Phone Number** field.

Note: If **Mobile Phone Number** is a required field for your state and you do not have a mobile phone number, enter ten 5s in that field; for example, (555) 555-5555.




6.2 Setting Default PMP InterConnect States

PMP AWARe is configured to integrate with PMP InterConnect to expand your search capabilities when researching a patient's prescription history. This feature allows you to configure states to be selected by default when performing a Patient Request. To set your default PMP InterConnect states:

1. Click **Menu > Default PMPi States**.

The Default InterConnect PMPs page is displayed.



Default InterConnect PMPs

- ☐ Alabama
- ☐ Alaska
- ☐ California
- ☐ Delaware
- ☐ Florida
- ☐ Kentucky

[Update Defaults](#)

2. Click the checkbox next to the state(s) you would like to be selected by default when performing a Patient Request.
3. Click **Update Defaults**.

Your selections are saved and will be selected by default when you create a Patient Request.

Note: You can de-select default states as necessary—selecting default states does not require you to search for those states every time.

6.3 Delegate Management

If you are a supervisor, the Delegate Management function allows you to approve or reject new delegates, or remove existing delegates from your account.

6.3.1 Approving and Rejecting Delegates

If a user registers as a delegate and selects you as their supervisor, you will receive email notification that a delegate account is pending your approval.

Note: If the request is not acted upon, the system will send weekly follow-up emails advising you that action is still required.

Once you have received the email notification:

1. [Log in to PMP AWARe](#).
2. Click **Menu > Delegate Management**.

The Delegate Management page is displayed.

Delegate Management					
Select a delegate to review details.					
First	Last	Role	Delegate Status	Date Requested	Date Verified
Jordan	Delegate	Prescriber Delegate - Unlicensed	Pending	04/06/2018	
Adam	Delegate	Prescriber Delegate - Unlicensed	Approved	04/06/2018	04/11/2018

Note: New delegates are identified with a status of “Pending.”

- Click the delegate’s name to display their information in the detail card at the bottom of the page.

- Click **Approve** to approve the delegate;
- Or
- Click **Reject** to reject the delegate. If rejected, the delegate will be removed.

6.3.2 Removing/Deactivating Delegates

If you need to deactivate a delegate from your account:

- Click **Menu > Delegate Management**.

The Delegate Management page is displayed.

Delegate Management					
Select a delegate to review details.					
First	Last	Role	Delegate Status	Date Requested	Date Verified
Jordan	Delegate	Prescriber Delegate - Unlicensed	Pending	04/06/2018	
Adam	Delegate	Prescriber Delegate - Unlicensed	Approved	04/06/2018	04/11/2018

- Click the delegate’s name to display their information in the detail card at the bottom of the page.
- Click **Remove**.

Upon removal, the delegate’s status will be returned to “Pending.” The delegate is not removed from your delegate list.

Notes:

- If you need to add the user again at a later date, select the former delegate, then click **Approve** to add them to your account.
- If you need to completely remove a delegate from your account, select the former delegate, then click **Reject**. Rejecting a delegate will remove them from your account.
- It is your responsibility to regularly maintain your delegate list and remove access if it is no longer necessary.

6.4 Password Management

Your AWARxE password expires every 90 days. There are two ways you can manage your password:

- You can proactively change your password within the application before it expires by [updating your current password](#).

2. If your password has already expired, or if you have forgotten your password, you can [reset your password](#). Note that you can reset your password via email or mobile phone.

6.4.1 Updating a Current Password


If your password has not expired, but you would like to proactively reset it, you can do so within the AWARe application.

Note: This functionality requires that you know your current password and are logged into PMP AWARe.

To update your password:

1. Click **Menu > Password Reset**.

The Change Password page is displayed.




The screenshot shows a web form titled "Change Password". It contains three input fields, each with a password icon (a small asterisk) on the left. The first field is labeled "Current Password". The second field is labeled "New Password" and has a small dropdown arrow on its right side. The third field is labeled "New Password Confirmation" and also has a small dropdown arrow on its right side. Below these fields is a large purple button with the text "Change".

2. Enter your current password in the **Current Password** field.
3. Enter a new password in the **New Password** field, then re-enter it in the **New Password Confirmation** field. The password guidelines are provided below.

Passwords must contain:

- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) special character such as !, @, #, \$, etc.

Note that a checkmark appears next to each requirement as it is met.



The screenshot shows a password change interface. At the top is a 'Password' field with a blue border and a toggle icon. Below it is a 'Password Confirmation' field. Underneath these fields is a section titled 'Password Must:' followed by a bulleted list of requirements: 'Minimum of 8 characters', 'Contain one upper case letter', 'Contain one lower case letter', 'Contain one special character (! @ # \$ etc.)', and 'Maximum of 72 characters'. Four red arrows point to the checkmarks next to the last four requirements.


4. Click **Change**.

Your password is updated, and you will use the new password the next time you log in to the system.

6.4.2 Resetting a Forgotten Password

1. If you have forgotten your password or your password has expired, navigate to <https://northdakota.pmpaware.net/>.


The Log In page is displayed.




The screenshot shows the 'Log In' page. It has a title 'Log In' at the top. Below the title are two input fields: 'Email' and 'Password'. To the right of the 'Password' field is a link that says 'Reset Password'. At the bottom of the form is a large purple button labeled 'Log In'. Below the button is a link that says 'Create an Account'.

2. Click **Reset Password**.

The Reset Password page is displayed.



3. Enter the email address associated with your account, then click **Continue**. You will be prompted to select how you want to reset your password.




4. Select whether you would like to reset your password via a code texted to your mobile phone or via an email containing a link to reset the password.

Note: Resetting your password via mobile phone requires that you have a mobile phone number stored in the system. Please refer to [My Profile](#) for information on adding your mobile phone number to your account. If you do not have a mobile phone number stored in the system, and you cannot remember your password or it has expired, please select the email option.

5. Click **Continue**.

- a. If you selected the mobile phone option, a verification code is sent to your mobile phone, and you are prompted to enter that code.



Once you have received the verification code, enter it, then click **Continue**.

OR

- b. If you selected the email option and the email address you provided is valid and registered, you will receive an email containing a link to reset your password. Once you have received the email, click the link.


Once you have entered the verification code or clicked the link in the email, the Change Password page is displayed.

6. Enter a new password in the **New Password** field, then re-enter it in the **New Password Confirmation** field. The password guidelines are provided below.

Passwords must contain:

- *At least eight (8) characters*
- *One (1) uppercase letter*
- *One (1) lowercase letter*
- *One (1) special character such as !, @, #, \$, etc.*

Note that a checkmark appears next to each requirement as it is met.



7. Click **Change**.

Your password is updated, and you will use the new password the next time you log in to the system.

Notes:

- *The password reset link is only active for 20 minutes. After the time has expired, you will need to repeat steps 1–5 to generate a new password reset email.*
- *If you use the mobile reset option, the validation code is only active for 20 minutes. In addition, only the most recent code is valid (e.g., if you requested a validation code twice, only the second code would be valid).*
- *Per our security protocol, PMP AWAxE will not confirm the existence of an account. If you do not receive an email at the email address provided, follow the steps below:*
 1. *Ensure you entered a valid email address.*
 2. *Check your Junk, Spam, or other filtered folders for the email.*
 3. *If the email address is correct but you have not received the email, contact your PMP Administrator to request a new password or determine what email address is associated with your account.*
 4. *Add the following email addresses and domains to your contacts list, or contact your organization's IT support to have them added as safe senders:*
 - (a) no-reply-pmpaware@globalnotifications.com
 - (b) globalnotifications.com
 - (c) amazonses.com

7 Assistance and Support

7.1 Technical Assistance

If you need additional help with any of the procedures outlined in this guide, you can:

- Contact Appriss Health at 1-855-5ND-4PMP (1-855-563-4767);
OR
- Create a support request at the following URL:
<https://apprisspmp.zendesk.com/hc/en-us/requests/new>.

Technical assistance is available 24 hours per day, 7 days per week.

7.2 Administrative Assistance

If you have non-technical questions regarding the ND PDMP, please contact:

North Dakota Prescription Monitoring Program

Phone: 701-328-9537

Fax: 701-328-9536

Email: pdmp@nd.gov

8 Document Information

8.1 Disclaimer

Appriss has made every effort to ensure the accuracy of the information in this document at the time of printing; however, information is subject to change.

8.2 Change Log

Version	Date	Chapter/Section	Change Made
1.0		N/A	N/A; initial publication
2.0	11/21/2018	Global	Updated to current document template
		4.1/Creating a Patient Request	Updated to reflect the addition of NarxCare
		4.2/Viewing a Narx Report	
		Appendix A/ NarxCare	Added a new appendix with information regarding NarxCare
2.1	12/10/2018	6.1/My Profile	Added instructions for adding a mobile phone number to account profile
		6.4/Resetting a Forgotten Password	Added instructions for resetting a password via mobile phone
2.2	10/23/2019	2/Registration	Replaced registration instructions with updated registration process
		Appendix B/ Communications Module	Added a new appendix with information regarding the Communications Module

Appendix A: NarxCare

Introduction to NarxCare

NarxCare is a robust analytics tool and care management platform that helps prescribers and dispensers analyze real-time controlled substance data from prescription drug monitoring programs (PDMPs), which are the system's primary data source.

NarxCare automatically accesses the PDMP data, analyzes it, scores it, and generates an interactive, patient-centered report with visual enhancements that enable providers to quickly comprehend the patient's controlled substance use history.

The NarxCare platform is designed to accommodate additional, non-PDMP data sources such as claims data, registry data, continuity of care documentation, etc. As these data become available, they will be visually incorporated as additional risk indicators and eventually be included in existing and new algorithms.

Every Narx Report includes type-specific use scores for narcotics, sedatives, and stimulants. These scores are based on a complex algorithm with up to 20 time-weighted measurement points. The scores range from 000 to 999, with higher scores equating to higher numbers of prescribers, MME, pharmacies, and overlapping prescriptions.

An Overdose Risk Score, developed using advanced data science, is also included. This risk score ranges from 000–999 with higher scores equating to increased risk of unintentional overdose. Currently based on PDMP data, the score will become more holistic in nature as additional data sources are added to the algorithm.

Data visualization is enhanced with an interactive, color-coded graphical display of prescription data that allows for increased detail when desired.

A Resources section provides tools that enable providers to link patients with treatment and easily obtain information documents that may be helpful as reference material or patient handouts.

Application Interface Overview


The NarxCare report interface is a modular design with several collapsible segments.

Header

Scores and
Indicators

Graphs

Full Prescription Detail



Narx Report Details


Report Header

The Narx Report page heading contains several report- and account-level controls:


- **Drop-down menu bar:** Clicking **Menu** allows you to navigate to all functional areas of AwarxE. For NarxCare users, the menu contains additional training links as well as a link to the NarxCare user guide. You can click your username for quick access to account management options such as **My Profile**, **Delegate Management**, and **Password Reset**.



- **Patient identifying information:** The patient's name, age in years, and gender are displayed above the navigation tabs. Additional patient information, such as date of birth and address, can be found in the first segment of the Narx Report.



- **Navigation tabs:** There are two tabs beneath the patient's name labeled **Narx Report** and **Resources**. The **Narx Report** tab is displayed by default. You can click on the **Resources** tab to display several treatment locators and document resources that may be useful in managing patient referrals or reviewing CDC guidelines.



- **Report download links:** If you need to download a PDF or CSV version of the report, click the **Download PDF** or **Download CSV** links located on the right side of the page below the state logo.

RxSearch > Patient Request

Your Logo Here

Powered by **Awarx**™ Support

Narx Report Resources

Date: 8/23/2018

Download the report here → Print Report Download CSV

Report Body

The body of the Narx Report contains several functional areas aimed at rapidly raising awareness of risk and prescription use patterns, and when required, individual prescription detail.

- **Messages and Care Notes:** The Communications Module within the NarxCare system allows you to send clinician-to-clinician messages as well as add Care Notes to a patient's record. For complete information on the Communications Module, including how to send messages and add Care Notes, please refer to [Appendix B: Communications Module](#).
- **Scores and additional risk indicators:** The Narx Report includes a series of type-specific use scores, Narx Scores, Overdose Risk Score, and Additional Risk Indicators, which are located in the Risk Indicators section of the report. These scores and other elements are often automatically returned to the requesting system as discrete data. Requesting systems receiving such data can choose to display the scores within the native electronic health record or pharmacy management system, and many systems choose to display these data in the patient header, face sheet, or alongside patient vital signs.


Note: Please refer to the [Narx Scores](#), [Overdose Risk Score](#), and [Additional Risk Indicators](#) sections of this document for more information on those scores and indicators.

Risk Indicators

NARX SCORES			OVERDOSE RISK SCORE	ADDITIONAL RISK INDICATORS (2)
Narcotic 380	Sedative 440	Stimulant 000	530 (Range 000-999)	<ul style="list-style-type: none"> ! \geq 5 opioid or sedative providers in any year in the last 2 years ! $>$ 100 MME total and 40 MME/day average
Explanation and Guidance			Explanation and Guidance	Explanation and Guidance

This NarxCare report is based on search criteria supplied and the data entered by the dispensing pharmacy. For more information about any prescription, please contact the dispensing pharmacy or the prescriber. NarxCare scores and reports are intended to aid, not replace, medical decision making. None of the information presented should be used as sole justification for providing or refusing to provide medications. The information on this report is not warranted as accurate or complete.

- **Rx Graph:** The Rx Graph, located in the Graphs section of the report, allows you to rapidly see important patterns and levels of use.




- Prescriptions are color coded and can be selected or deselected at the top of the graph.
 1. Narcotics (opioids) = **red**
 2. Buprenorphines = **purple**
 3. Sedatives (benzodiazepines, sleep aids, etc.) = **blue**
 4. Stimulants = **green**
 5. Other = **grey**
- The Rx Graph is reverse time ordered, meaning that the most recent prescriptions are displayed on the left side of the graph and the oldest are displayed on the right.


- Each pixel in the graph represents one day; therefore, a 30-day prescription is represented by a rectangle about 1 cm wide and a 1–3-day prescription appears as a narrow vertical bar.



- The Rx Graph is interactive. You can click on a prescription to view information for that prescription, or you can click and drag over multiple prescriptions to view information for the selected prescriptions.



- Daily morphine milligram equivalency (MME), buprenorphine milligrams, and lorazepam milligram equivalency (LME) graphs are also provided for a quick longitudinal view of daily MME, buprenorphine, and LME. Abrupt changes in these factors are often due to overlapping prescriptions.



Prescription Detail

Each prescription dispensed to the patient is presented in the Prescriptions table, which is located in the Rx Data section of the report. If desired, you can use the arrows next to each column header (↕) to sort the table by that column. You can also hover your cursor over a prescriber or pharmacy to view additional information such as prescriber or pharmacy full name, address, and DEA number.

Rx Data												
PRESCRIPTIONS												
Total Prescriptions:		69										
Total Private Pay:		2										
Fill Date	ID	Written	Drug	Qty	Days	Prescriber	Rx #	Pharmacy	Refill	Daily Dose	Pymt Type	PMP
06/08/2018	1	05/16/2018	ALPRAZOLAM 2 MG TABLET	90	30	Dr. [Name]	[Rx #]	[Pharmacy]	0	12.00 LME Medicare	NC	
06/08/2018	1	05/15/2018	ZOLPIDEM TARTRATE 10 MG TABLET	30	30	Dr. [Name]	[Rx #]	[Pharmacy]	1	0.50 LME Medicare	NC	
06/08/2018	1	05/14/2018	TRAMADOL HCL 50 MG TABLET	90	30	Dr. [Name]	[Rx #]	[Pharmacy]	1	15.00 MME Medicare	NC	
05/15/2018	1	05/15/2018	ZOLPIDEM TARTRATE 10 MG TABLET	30	30	Dr. [Name]	[Rx #]	[Pharmacy]	0	0.50 LME Medicare	NC	
05/14/2018	1	05/14/2018	TRAMADOL HCL 50 MG TABLET	90	30	Dr. [Name]	[Rx #]	[Pharmacy]	0	15.00 MME Medicare	NC	
05/12/2018	1	03/19/2018	ALPRAZOLAM 2 MG TABLET	90	30	Dr. [Name]	[Rx #]	[Pharmacy]	2	12.00 LME Medicare	NC	
04/16/2018	1	03/19/2018	ALPRAZOLAM 2 MG TABLET	90	30	Dr. [Name]	[Rx #]	[Pharmacy]	1	12.00 LME Medicare	NC	
04/16/2018	1	02/19/2018	ZOLPIDEM TARTRATE 10 MG TABLET	30	30	Dr. [Name]	[Rx #]	[Pharmacy]	2	0.50 LME Medicare	NC	
04/14/2018	1	02/20/2018	TRAMADOL HCL 50 MG TABLET	90	30	Dr. [Name]	[Rx #]	[Pharmacy]	2	15.00 MME Medicare	NC	
03/20/2018	1	03/19/2018	ALPRAZOLAM 2 MG TABLET	90	30	Dr. [Name]	[Rx #]	[Pharmacy]	0	12.00 LME Medicare	NC	
03/19/2018	1	02/20/2018	TRAMADOL HCL 50 MG TABLET	90	30	Dr. [Name]	[Rx #]	[Pharmacy]	1	15.00 MME Medicare	NC	
03/19/2018	1	02/19/2018	ZOLPIDEM TARTRATE 10 MG TABLET	30	30	Dr. [Name]	[Rx #]	[Pharmacy]	1	0.50 LME Medicare	NC	
02/21/2018	1	12/13/2017	ALPRAZOLAM 2 MG TABLET	90	30	Dr. [Name]	[Rx #]	[Pharmacy]	2	12.00 LME Medicare	NC	
02/20/2018	1	02/20/2018	TRAMADOL HCL 50 MG TABLET	90	30	Dr. [Name]	[Rx #]	[Pharmacy]	0	15.00 MME Medicare	NC	

Provider and Pharmacy Detail

Provider and pharmacy information, including full name, address, and DEA number, is presented in the Providers and Pharmacies tables, located in the Rx Data section of the report.

PROVIDERS						
Total Providers: 7						
Name	Address	City	State	Zipcode	DEA	
Dr. [Name]	[Address]	WILLIAMSTON	NC	27892	[DEA]	
Dr. [Name]	[Address]	DURHAM	NC	27704	[DEA]	
Dr. [Name]	[Address]	GREENVILLE	NC	27834	[DEA]	
Dr. [Name]	[Address]	WILLIAMSTON	NC	27892	[DEA]	
Dr. [Name]	[Address]	WILLIAMSTON	NC	27892	[DEA]	
Dr. [Name]	[Address]	WILLIAMSTON	NC	27892	[DEA]	
Dr. [Name]	[Address]	GREENVILLE	NC	27834	[DEA]	
PHARMACIES						
Total Pharmacies: 1						
Name	Address	City	State	Zipcode	DEA	
[Pharmacy Name]	[Address]	WILLIAMSTON	NC	27892	[DEA]	

Resources Tab

The **Resources** tab provides easy access to treatment locators and CDC documents.

- **MAT locator:** The MAT locator, located in the Access to Treatment section of the **Resources** tab, quickly creates a list of the 30 closest providers who are listed in the Substance Abuse and Mental Health Administration (SAMHSA) buprenorphine treatment locator database.

Access to Treatment

Mat Providers

Find the 30 closest MAT providers for this patient. The patient's zip code is pre-populated if available. [View more information about the treatment locator.](#)

Search for providers near:

Zip Code

27892

Submit

The patient's zip code is pre-populated but can be edited. Click **Submit** to generate a PDF that can be viewed and printed.

- **CDC documents:** The Information Documents section of the **Resources** tab provides a series of CDC documents pertaining to both providers and patients that can be referenced quickly and printed, if desired.

Educational Resources

INFORMATIONAL DOCUMENTS

Click the associated link and print. [View more information about resources.](#)

What You Need to Know

PRESCRIPTION OPIOIDS: WHAT YOU NEED TO KNOW

Prescription opioids can be used to help relieve moderate to severe pain, and are often given for temporary relief of pain or to help with recovery from surgery. These medications can be used safely when taken as directed, but they can also be addictive. It is important to be aware of the risks and benefits of these medications and to use them responsibly.

WHAT ARE THE RISKS AND SIDE EFFECTS OF OPIOIDS ONLY?

Prescription opioids carry a serious risk of addiction and overdose, especially when prescribed for long-term use. It is important to be aware of the risks and benefits of these medications and to use them responsibly.

WAYS ARE CREATED WITH:

- Being a drug addict, alcoholic, or having a history of drug abuse
- Being a pregnant woman or planning to become pregnant
- Being a patient with a history of mental health problems
- Being a patient with a history of substance abuse
- Being a patient with a history of chronic pain
- Being a patient with a history of respiratory problems
- Being a patient with a history of liver or kidney problems
- Being a patient with a history of heart problems
- Being a patient with a history of low blood pressure
- Being a patient with a history of low blood sugar
- Being a patient with a history of low blood calcium
- Being a patient with a history of low blood magnesium
- Being a patient with a history of low blood potassium
- Being a patient with a history of low blood sodium
- Being a patient with a history of low blood chloride
- Being a patient with a history of low blood bicarbonate
- Being a patient with a history of low blood phosphate
- Being a patient with a history of low blood zinc
- Being a patient with a history of low blood copper
- Being a patient with a history of low blood selenium
- Being a patient with a history of low blood chromium
- Being a patient with a history of low blood manganese
- Being a patient with a history of low blood cobalt
- Being a patient with a history of low blood nickel
- Being a patient with a history of low blood tin
- Being a patient with a history of low blood vanadium
- Being a patient with a history of low blood molybdenum
- Being a patient with a history of low blood silicon
- Being a patient with a history of low blood boron
- Being a patient with a history of low blood calcium
- Being a patient with a history of low blood phosphorus
- Being a patient with a history of low blood magnesium
- Being a patient with a history of low blood potassium
- Being a patient with a history of low blood sodium
- Being a patient with a history of low blood chloride
- Being a patient with a history of low blood bicarbonate
- Being a patient with a history of low blood phosphate
- Being a patient with a history of low blood zinc
- Being a patient with a history of low blood copper
- Being a patient with a history of low blood selenium
- Being a patient with a history of low blood chromium
- Being a patient with a history of low blood manganese
- Being a patient with a history of low blood cobalt
- Being a patient with a history of low blood nickel
- Being a patient with a history of low blood tin
- Being a patient with a history of low blood vanadium
- Being a patient with a history of low blood molybdenum
- Being a patient with a history of low blood silicon
- Being a patient with a history of low blood boron

Promoting Safer and More Effective Pain Management

PROMOTING SAFER AND MORE EFFECTIVE PAIN MANAGEMENT

Prescription opioids can be used to help relieve moderate to severe pain, and are often given for temporary relief of pain or to help with recovery from surgery. These medications can be used safely when taken as directed, but they can also be addictive. It is important to be aware of the risks and benefits of these medications and to use them responsibly.

OPPIOIDS AND CHRONIC PAIN

Prescription opioids can be used to help relieve moderate to severe pain, and are often given for temporary relief of pain or to help with recovery from surgery. These medications can be used safely when taken as directed, but they can also be addictive. It is important to be aware of the risks and benefits of these medications and to use them responsibly.

PRESCRIPTION OPIOID OVERDOSE IS AN EPIDEMIC IN THE US

Pregnancy and Opioids

PREGNANCY AND OPIOID PAIN MANAGEMENT

Women who take opioid pain medications should be aware of the possible risks during pregnancy.

HOW ARE OPIOID PAIN MEDICATIONS USED?

Women who take opioid pain medications should be aware of the possible risks during pregnancy.

ADD OPIOID PAIN MEDICATIONS SAFE FOR WOMEN WHO ARE PREGNANT OR PLANNING TO BECOME PREGNANT?

Copyright © 2018-2019 Appriss, Inc. All rights reserved.
Do not copy or distribute without the express written permission of Appriss.

64

Narx Scores

The NarxCare application delivers several elements of discrete data and a visually enhanced, interactive PDMP report. Contained on the report, and delivered as discrete data, are three type-specific *use* scores called Narx Scores. These Narx Scores numerically represent the PDMP data for a patient.

Narx Scores are calculated for narcotics (opioids), sedatives, and stimulants and have the following characteristics:

1. Each score consists of three digits ranging from 000–999.
2. The last digit of each score represents the number of active prescriptions of that type. For example, a Narx Score of 504 indicates the patient should have four active narcotic prescriptions according to dispensation information in the PDMP.
3. The scores correspond to the number of literature-based risk factors that exist within the PDMP data. These risk factors include:
 - a. The number of prescribers
 - b. The number of pharmacies
 - c. The amount of medication dispensed (often measured in milligram equivalencies)
 - d. The number of times prescriptions of a similar type overlap from different prescribers
4. The time elapsed for any risk factor serves to decrease its contribution to the score. For example, 1000 MME dispensed within the last month will elevate the score *more than* 1000 MME dispensed one year ago.
5. The distribution of Narx Scores for patients found in a PDMP is approximated as follows:
 - a. 75% score less than 200
 - b. 5% score more than 500
 - c. 1% score more than 650

The Narx Scores were designed such that:

1. Patients who use small amounts of medication with limited provider and pharmacy usage will have **low scores**.
2. Patients who use large amounts of medications in accordance with recommended guidelines (single provider, single pharmacy, etc.) will have **mid-range scores**.
3. Patients who use large amounts of medications while using many providers and pharmacies, and with frequently overlapping prescriptions, will have **high scores**.

Narx Score Algorithm

Relative Scoring

Narx Scores represent a *relative scoring* system wherein the risk factors representing use within a PDMP report are counted and then converted to a reference value that ranges from 0–99. These reference values correlate with a percentile measurement of that use within the PDMP population.


A single point measurement of total MME in the last 60 days can be used to illustrate this concept further using the following three patients:

- Patient A: 160 MME
- Patient B: 4800 MME
- Patient C: 1050 MME

If we were to place these three patients on a line of relative risk, we could intuit a linear relationship based on MME, which could be depicted as follows:



This depiction has no boundaries to the left or right so these patients could just as easily be drawn as follows:



The NarxCare algorithm uses a unique strategy to establish boundaries of use by converting all measured variables, such as 60-day MME, to a scaled value between 0 and 99. This was done by evaluating a large PDMP population and measuring the 60-day MME value for every patient. This set of data was then used to create a reference table roughly equating to a percentile in the population. If we add the scaled value to each example patient's 60-day MME we get:

- Patient A: 160 MME | 20
- Patient B: 4800 MME | 90
- Patient C: 1050 MME | 65

If we apply these new scaled values to our risk diagram and create a left and right boundary of 0 and 99, we get:



Interestingly, the population-based scaled values indicate that Patient B and C are closer to each other than might otherwise be suspected. In this case, we can also say that Patient B has used more MME in the last 60 days than 90% of the rest of the PDMP population.

Time Periods

The NarxCare algorithm evaluates a PDMP record using four different, overlapping time periods. In each time period, the risk factor being evaluated is tabulated and then converted to a scaled value. An example provider reference table is provided below.

Prescribers	2mo Scaled	6mo Scaled	1yr Scaled	2yr Scaled
0	0	0	0	0
1	19	12	8	6
2	36	22	16	11
3	51	32	23	16
4	64	41	30	21
5	75	49	37	26
6	85	57	43	30
And so on ...				

These reference tables exist for all the risk factors being evaluated and cover all four time periods. In general, as the raw value count (i.e., number of prescribers) increases, so does the reference value (up to 99 maximum). As the time period increases, the scaled value decreases. Some examples are provided below.

Prescriber Count	2mo Scaled	6mo Scaled	1 yr Scaled	2yr Scaled
0	0	0	0	0
1	19	12	8	6
2	36	22	16	11
3	51	32	23	16
4	64	41	30	21
5	75	49	37	26
6	85	57	43	30
And so on ...				

Pharmacy Count	2mo Scaled	6mo Scaled	1 yr Scaled	2yr Scaled
0	0	0	0	0
1	25	16	13	10
2	45	31	25	19
3	63	44	35	27
4	78	56	45	35
5	90	67	54	42
6	99	76	62	49
And so on ...				


Pharmacy Count	2mo Scaled	6mo Scaled	1 yr Scaled	2yr Scaled
0	0	0	0	0
1	25	16	13	10
2	45	31	25	19
3	63	44	35	27
4	78	56	45	35
5	90	67	54	42
6	99	76	62	49
And so on ...				

Sedative LME	2mo Scaled	6mo Scaled	1 yr Scaled	2yr Scaled
0	0	0	0	0
1-4	4	6	8	10
5 - 9	8	10	13	16
10 - 14	10	12	16	19
15 - 19	20	20	23	26
20 - 24	23	23	26	29
25 - 29	24	23	26	30
And so on ...				

Overlap Days	2mo Scaled	6mo Scaled	1 yr Scaled	2yr Scaled
0	0	0	0	0
1	3	2	1	1
2	6	4	3	2
3	9	5	4	3
4	11	7	6	4
5	14	9	7	5
6	16	10	8	6
And so on ...				

Weighting

A Narx Score is calculated as a weighted average of the scaled values. A 50% weighting is applied to the milligram equivalencies with the remaining risk factors making up the other 50%.



This type of weighting results in several reliable relationships. If we think of milligram equivalency as *consumption* and the combination of providers, pharmacies, and overlaps collectively as *behaviors*, we can intuit the following score categories.

	<u>Consumption</u>	<u>Behaviors</u>	<u>Narx Score</u>
Patient A	Low	Low	Low
Patient B	Low	High	Mid
Patient C	High	Low	Mid
Patient D	High	High	High

It is important to understand that there are several different patterns of use that can result in the same score. It is always necessary to look at the actual PDMP data to determine what use patterns exist that have resulted in the Narx Score presented.

Algorithm and Score Computation

The following steps are involved with calculating a Narx Score:

1. Determine the raw values for all time periods for all variables.
2. Convert all raw values to scaled values.
3. Average the scaled values for each risk factor for all time periods.
4. Determine the weighted average.
5. Add (concatenate) the number of active prescriptions.

Using a sample patient as an example to illustrate the calculation of a Narcotic Score:

1. Determine the raw values for all time periods for all variables.

	60 days	6 mos	1 year	2 years
Prescribers	6	9	15	15
Pharmacies	4	4	6	6
MME	1640	5408	7358	7364
LME	0	0	0	0
Overlaps	17	55	65	65

2. Convert all raw values to scaled values.

	60 days	6 mos	1 year	2 years
Prescribers	85	76	84	64
Pharmacies	78	56	62	49
Morphine milligram eq	74	87	88	87
Lorazepam milligram eq	0	0	0	0
Overlaps	41	70	64	52

3. Average the scaled value for each risk factor for all time periods.

	60 days	6 mos	1 year	2 years	Avg
Prescribers	85	76	84	64	77
Pharmacies	78	56	62	49	61
MME	74	87	88	87	84
LME	0	0	0	0	0
Overlaps	41	70	64	52	57

4. Calculate the weighted average.

	60 days	6 mos	1 year	2 years	Avg	Wt	
Prescribers	85	76	84	64	77	1	77
Pharmacies	78	56	62	49	61	1	61
MME	74	87	88	87	84	3	252
LME	0	0	0	0	0	1	0
Overlaps	41	70	64	52	56	2	114
Weighted Average (sum/8)							63

5. Add (concatenate) the number of active prescriptions

	60 days	6 mos	1 year	2 years	Avg	Wt	
Prescribers	85	76	84	64	77	1	77
Pharmacies	78	56	62	49	61	1	61
MME	74	87	88	87	84	3	252
LME	0	0	0	0	0	1	0
Overlaps	41	70	64	52	56	2	114
Weighted Average (sum/8)							63
Number of Active Narcotic Prescriptions							<u>2</u>
Narcotic Score							63<u>2</u>

Clinical Application

In-Workflow Use

Narx Scores are intended to be automatically delivered into the clinical workflow as discrete data and be easily viewable within a patient's record. Many systems choose to place the scores in the patient header or alongside the patient's vital signs.

Narx Scores are best viewed at the beginning of a patient encounter, and as such, they should be obtained at or near the time a patient is registered.

General Considerations

- The primary purpose of providing Narx Scores is to raise provider awareness of the associated PDMP data available for review.
- Concerning Narx Scores are intended to trigger a *discussion*, **not a decision**. If a Narx Score raises concern, the recommended course of action is to evaluate the PDMP data, review any additional pertinent data, and discuss any concerns with the patient.
- Just as there is no single blood pressure that can be considered *normal* for all people, there is no Narx Score that is *normal*. A Narx Score must be applied to the clinical scenario before evaluating appropriateness. For example, a blood pressure of 120/80 can simultaneously be:
 - Inappropriate for a 2-month-old infant
 - Appropriate for a 20-year-old woman
 - Inappropriate for an elderly patient with an average daily blood pressure of 200/100
- Narx Scores are distributed within the PDMP population as follows:
 - 75% of patients score below 200
 - 5% of patients score above 500
 - 1% of patients score above 650

Example Use Cases

Narx Scores can be used to great effect in certain clinical scenarios. Again, the recommended course of action is to seek additional information and discuss concerns with the patient.

- **Case A** – A 17-year-old male basketball player with other significant history presents with a severe ankle sprain. His Narx Scores are:

<u>Narcotic</u>	<u>Sedative</u>	<u>Stimulant</u>
000	000	000

Important consideration: If considered for an opioid due to the severity of injury, this may be the patient's first exposure to the effects of an opioid. Recommend thorough review of the risks and benefits with the patient and consideration of an informed consent process.

- **Case B** – an 81-year-old female presents with decreased level of consciousness following a fall where she suffered a closed head injury. Her Narx Scores are:

<u>Narcotic</u>	<u>Sedative</u>	<u>Stimulant</u>
341	501	000

Important Consideration: Many elderly patients are on chronic opioids and benzodiazepines. The use of opioids and benzodiazepines for this patient may have contributed to her fall. The patient may be taking enough medication to develop anxiety seizures due to benzodiazepine withdrawal, complicating the medical picture.

- **Case C** – A 36-year-old male patient with mild chronic back pain frequently treated with opioids presents for a medication refill. On review of the PDMP record, the patient has been to 17 different prescribers in the last year. His Narx Scores are:

<u>Narcotic</u>	<u>Sedative</u>	<u>Stimulant</u>
671	240	000

Important Consideration: Many patients obtain medications through multiple different providers. This can be due to the patient being seen in a clinic that is staffed by different providers, or it can be due to *access to care* issues requiring visits to urgent care centers or emergency departments.

Score-Based Guidance

Score/Range	Notes	Recommendations
000	This may be the first prescription of this type for the patient.	Discuss risks/benefits of using a controlled substance. Consider informed consent.
010–200	Approximately 75% of scores fall in this range. Occasionally, patients in this score range have a remote history of high usage (> 1 year ago).	Review use patterns for unsafe conditions. Discuss any concerns with patient. See guidance below. If previously high usage exists with recent abstinence, consider risk/benefits of new prescriptions.

Score/Range	Notes	Recommendations
201–650	Approximately 24% of scores fall in this range.	Review use patterns for unsafe conditions. Discuss any concerns with patient. See guidance below.
> 650	Approximately 1% of scores fall in this range. Some patient records may have a score in this range and <i>still be within prescriber expectations</i> . Many patient records include some level of multiple provider episodes, overlapping prescriptions, or elevated milligram equivalency.	Review use patterns for unsafe conditions. If multiple providers involved in unsafe prescribing, discuss concern with patient and consider contacting other providers directly. If multiple pharmacies involved in unsafe prescribing, discuss concern with patient and consider pharmacy lock-in program. If overlapping medications of same or different type, discuss concern with patient and consider taper to lower dose and/or discontinuation of potentiating medications. If patient has evidence of a substance use disorder, consider inpatient admit or referral for outpatient evaluation and treatment.

Overdose Risk Score

The NarxCare application delivers several elements of discrete data and a visually enhanced, interactive PDMP report. Contained on the report, and delivered as discrete data, is an Overdose Risk Score (ORS). This score numerically represents the risk of unintentional overdose death.

The ORS has the following characteristics:

1. The score is three digits and ranges from 000–999.
2. Risk approximately doubles for every 100-point increase in the score.
3. Using patients who score 0–199 as a reference group, the odds ratio associated with successive 100-point bins is as follows:

ORS	Odds Ratio of Unintentional Overdose Death
000–199	1
200–299	10

ORS	Odds Ratio of Unintentional Overdose Death
300–399	12
400–499	25
500–599	44
600–699	85
700–799	141
800–899	194
900–999	329

ORS Algorithm


The ORS algorithm was derived using machine learning and other predictive techniques applied to a large case series of over 5,000 unintentional overdose deaths. For the first version of the score, more than 70 PDMP variables were evaluated with 12 chosen for the final model. Subsequent revisions of the model have included evaluation of thousands of variables, and efforts to include non-PDMP data such as criminal justice information, claims data, overdose registry data, etc., are ongoing. A specific characterization of the current variables and coefficients is beyond the scope of this document. In general, the variables that have shown to be predictive of unintentional overdose death include:

- The number of pharmacies visited per unit time
- Maximum morphine milligram equivalency (MME) in the last year
- The number of prescribers in the last two years
- Various slopes of opioid and sedative use
- Various slopes of prescriber usage

This section will be updated when new types of variables are incorporated and/or new sets of data are included.

Clinical Application

The ORS is intended to eventually provide a holistic estimate of overdose risk. At the current time, the risk assessment does not incorporate any data other than PDMP usage. This aligns the clinical application of the score with other sources of overdose risk assessment based on PDMP data such as number of pharmacies visited in the last 90 days or daily morphine equivalent dose (MED). The ORS performs much better than estimates using only one variable. For example, when comparing the utility of average MED in the last 60 days to the ORS, one can easily see that while MED does have a dose response curve, the ORS has markedly higher performance.



The absolute risk of death from unintentional overdose is very low in the population of patients found in a PDMP. Even though the annual unintentional overdose death rate is unacceptably high, measured in the thousands for many states, the number of people using controlled substances in those same states are in the multiple millions. Patients on elevated doses of medication are also prevalent and have a low overall incidence of unintentional overdose death. For example, in evaluating average daily MED over a period of 60 days in one state, the following death rates were found:

60-day MED avg	Decedents	Living	Death Rate
90 MED	1,008	162,231	0.6%
150 MED	722	94,681	0.8%
480 MED	144	13,693	1.0%

The results of this analysis equate the CDC-recommended maximum 90 MED for chronic opioid use to an expected death rate of just 0.6%. It isn't until you get to an average MED of 480 that

the death rate reaches 1%, and at that level, there are over 13,000 patients in the PDMP database.

One method of incorporating the ORS into clinical practice is to use a value of 650 as a threshold approximately equivalent to the CDC's recommended maximum of 90 MED. Just as patients who are above 90 MED are often evaluated for dose reduction, patients above a score of 650 may similarly be considered for:

1. Substance Use Disorder evaluation and treatment (if appropriate)
2. Discontinuation of potentiating drugs (if present)
3. Dose reduction
4. Provider lock-in
5. Pharmacy lock-in
6. Consideration of non-opioid therapy

Score-Based Guidance

The ORS can be applied to clinical practice in a manner analogous to daily MED. The CDC opioid prescribing guidelines recommend naloxone be considered at 50 MED and that most patients should be treated at a dose of 90 MED or less. Using an equivalent population methodology, the following ORS ranges can be associated with CDC MED-based guidance.

Score	Approximate CDC MED Equivalent	Guidance
< 010–440	< 50 MED	Consider other sources of risk beyond PDMP data. See below
450–650	50 MED (or more)	Consider naloxone prescription. See below.

Score	Approximate CDC MED Equivalent	Guidance
> 650	90 MED (or more)	<p>Consider naloxone prescription.</p> <p>Review use patterns for unsafe conditions.</p> <p>If multiple providers involved in unsafe prescribing, discuss concern with patient and consider contacting other providers directly.</p> <p>If multiple pharmacies involved in unsafe prescribing, discuss concern with patient and consider pharmacy lock-in program.</p> <p>If overlapping medications of same or different type, discuss concern with patient and consider taper to lower dose and/or discontinuation of potentiating medications.</p> <p>If patient has evidence of a substance use disorder, consider inpatient admit or referral for outpatient evaluation and treatment.</p>

Additional Risk Indicators

The NarxCare application delivers several elements of discrete data and a visually enhanced, interactive PDMP report. Contained on the report, and delivered as discrete data, are a set of Additional Risk Indicators. These indicators may be determined by the state PDMP and are felt to have stand-alone value.

This section is intended to aggregate important information from multiple sources of data. These data sources may include PDMP data, claims data, overdose registry data, continuity of care documents, and criminal justice.

There are currently three PDMP based indicators:

- More than 5 providers in any 365-day period
- More than 4 pharmacies in any 90-day period
- More than 40 MED average and more than 100 MME total at any time in the previous 2 years

These indicators are based on the following literature:

- **Provider red flag:** Hall AJ, Logan JE, Toblin RL, et al. Patterns of Abuse Among Unintentional Pharmaceutical Overdose Fatalities. *JAMA*.2008;300(22):2613–2620. doi:10.1001/jama.2008.802.

- **Pharmacy red flag:** Zhou Yang, Barth Wilsey, Michele Bohm, et al. Defining Risk of Prescription Opioid Overdose: Pharmacy Shopping and Overlapping Prescriptions Among Long-Term Opioid Users in Medicaid. *The Journal of Pain*, Volume 16, Issue 5, 445 – 453.
- **40 MED red flag:** Leonard Paulozzi, Edwin Kilbourne, Nina Shah, et. al. A History of Being Prescribed Controlled Substances and Risk of Drug Overdose Death. *Pain Medicine* Jan 2012, 13 (1) 87–95; DOI: 10.1111/j.1526-4637.2011.01260.x.

Clinical Application

PDMP-based indicators typically corroborate any concerns raised by the Narx Scores and ORS.

When available, additional risk indicators sourced from non-PDMP data sources may represent other dimensions of risk such as past heroin use, substance use disorder, previous overdose, etc.

When non-PDMP indicators become routinely available, they will be modeled into the ORS, and it may then be the case that a patient may have low Narx Scores (due to low use of prescribed controlled substances) BUT have an elevated ORS (due to high risk associated with non-PDMP data).

In all cases, if a provider determines that inappropriate risk exists for a patient, they should seek additional information, discuss the risk concern with the patient, and choose appropriate medical care options that are in the best interest of the patient.

Indicator-Based Guidance

Indicator	Guidance
More than 5 providers in any year (365 days)	Review use patterns for unsafe conditions. If multiple providers involved in unsafe prescribing, discuss concern with patient and consider contacting other providers directly.
More than 4 pharmacies in any 90-day period	Review use patterns for unsafe conditions. If multiple pharmacies involved in unsafe prescribing, discuss concern with patient and consider pharmacy lock-in program.
More than 40 MED per day average and more than 100 MME total	Review use patterns for unsafe conditions. Consider taper to lower dose and/or discontinuation of potentiating medications.

Indicator	Guidance
If all 3 indicators present	<p>Review use patterns for unsafe conditions.</p> <p>If multiple providers involved in unsafe prescribing, discuss concern with patient and consider contacting other providers directly.</p> <p>If multiple pharmacies involved in unsafe prescribing, discuss concern with patient and consider pharmacy lock-in program.</p> <p>If overlapping medications of same or different type, discuss concern with patient and consider taper to lower dose and/or discontinuation of potentiating medications.</p> <p>If patient has evidence of a substance use disorder, consider inpatient admit or referral for outpatient evaluation and treatment.</p>

Appendix B: Communications Module

Clinicians need the ability to recognize and call attention to important medical events, such as mitigating or exacerbating factors, on a patient's PMP report. The NarxCare system's Communications Module is designed to meet this need. When this module is enabled, clinician-to-clinician messaging and the ability to add Care Notes to a record are available within the Narx Report.

- Clinician-to-clinician messaging allows clinicians to securely communicate and share information regarding a patient in their care. This direct messaging feature is available only in NarxCare, not in the PMPs themselves, and permits the exchange of information between verified PMP users regarding a single patient under the care of multiple clinicians.
- Care Notes is a clinician-only feature that allows specific, clinically relevant notes or events to be appended to a patient's PMP record. These notes are visible only on the PMP report and to clinicians who have the Communications Module enabled.

Note: To have the Communications Module enabled, clinicians must meet specific requirements such as having a unique personal ID (e.g., DEA number) and not sharing that ID with other clinicians (e.g., within an institutional setting).

This appendix describes how to create and view Care Notes and clinician-to-clinician messages within the Narx Report.

Accessing Your Inbox

Clinician-to-clinician messages and Care Notes are stored in your inbox, which can be accessed by:

- Clicking **Inbox** from the Messages/My Care Notes section of your dashboard; or
- Clicking the **Messages** link on the menu bar.

Messages and Care Notes can be accessed by clicking either of these links. A number indicates that there are new messages/Care Notes.

My Dashboard

Patient Alerts

PATIENT ALERTS

No Patient Alerts Received

Recent Requests

Patient Full Name	DOB	Status	Request Date	Delegate
Adam Smith	01/01/1900	Verified	01/01/2017 2:58PM	Test Name
Adam Smith	01/01/1900	Verified	01/01/2017 2:58PM	Test Name
Adam Smith	01/01/1900	Verified	01/01/2017 2:58PM	Test Name
Adam Smith	01/01/1900	Verified	01/01/2017 2:58PM	Test Name

Messages/My Care Notes

Inbox (1)

My Favorites

RxSearch - Patient Request

PMP Announcements

Subject 01/01/2017

Lorem ipsum dolor sit amet, asd sdfasdf dffconsectetur adipiscing elit,fajdf. adfsa asdfjkasdlfjasdfkajsdksldf...

View

Subject 01/01/2017

Lorem ipsum dolor sit amet, asd sdfasdf dffconsectetur adipiscing elit,fajdf...

New messages and/or Care Notes are indicated by a number (i.e., the number of new messages) next to the **Inbox** link in the Messages/My Care Notes section of your dashboard and on the **Messages** link on the menu bar.

Once you have clicked either link, your inbox is displayed.

Messages

Date/Time Received	Patient	From	Message
11/21/2017 2:24:00 PM CST	Smith, John	Taylorson, Anthony (General Surgeon)	Lorem ipsum dolor sit amet, consectetur adipiscing elit ...
11/21/2017 2:24:00 PM CST	Smith, John	Taylorson, Anthony (General Surgeon)	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed dia..
11/21/2017 2:24:00 PM CST	Smith, John	Taylorson, Anthony (General Surgeon)	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed dia..
11/21/2017 2:24:00 PM CST	Smith, John	Taylorson, Anthony (General Surgeon)	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed dia..
11/21/2017 2:24:00 PM CST	Smith, John	Taylorson, Anthony (General Surgeon)	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed dia..
11/21/2017 2:24:00 PM CST	Smith, John	Taylorson, Anthony (General Surgeon)	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed dia..
11/21/2017 2:24:00 PM CST	Smith, John	Taylorson, Anthony (General Surgeon)	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed dia..
11/21/2017 2:24:00 PM CST	Smith, John	Taylorson, Anthony (General Surgeon)	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed dia..
11/21/2017 2:24:00 PM CST	Smith, John	Taylorson, Anthony (General Surgeon)	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed dia..
11/21/2017 2:24:00 PM CST	Smith, John	Taylorson, Anthony (General Surgeon)	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed dia..

Showing 10 - 19 of 50 Items View 10 per page < 2 of 5 >


Your inbox contains two tabs: [Messages](#) and [My Care Notes](#). The **Messages** tab is displayed by default. Note that both messages and Care Notes are contained within the Narx Report; therefore, when viewing messages/Care Notes, you are accessing the Narx Report for the patient indicated in the **Patient** column.

You can manage how many messages or Care Notes are displayed at any given time by changing the number in the **View** field at the bottom of the list. You can also use the arrows to navigate through your messages/Care Notes.

Showing 10 - 19 of 50 Items View 10 per page < 2 of 5 >

- **Messages.** The **Messages** tab displays the date and time the message was received, the patient who is the subject of the message, the user who sent the message, and a preview of the message text. Messages are displayed in descending time order, with the most current messages at the top. New messages are displayed in **bold** until viewed. Click the link in the **Message** column to view the message.

The Narx Report for that patient is displayed, and you are automatically directed to the Messages section of the report.



RxSearch > Patient Request > Justin Cooper

Justin Cooper, 37M

Narx Report Resources

Date: 06/15/2017 Download PDF Download CSV

Justin Cooper

Communication

Messages (1)

New [03/02/2017 11:03:12 CST] — from Mark Allen (General Surgeon) to Beth Johnson Actions

I wanted to let you know that family expressed concern about the patient buying additional opioids on the street because she is running out early.

[03/02/2017 11:03:12] — from Mark Allen (General Surgeon) to Beth Johnson Actions

I wanted to let you know that family expressed concern about the patient buying additional opioids on the street because she is running out early Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, qui ...more


[03/02/2017 11:03:12] — from Mark Allen (Delegate) on behalf of Amy Smith (General Surgeon) to Beth Johnson Actions

I wanted to let you know that family expressed concern about the patient buying additional opioids on the street because she is running out early Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, qui ...more

Showing 26 - 50 of 100 Items < 2 of 5 >

Refer to [Clinician-to-Clinician Messaging](#) for information on responding to messages and creating new messages.

- **My Care Notes.** Click the **My Care Notes** tab to display your Care Notes.



Menu Messages Johnny Smith

STATE DEPARTMENT OF HEALTH
Powered by Awarx

Messages My Care Notes


My Care Notes Search

Date/Time Last Updated	Patient	Care Note
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	[Deleted] -View Reason- Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	[Edited] - View Edits - Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	[Expired] - View Note -Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	[Deleted] -View Reason- Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...

The **My Care Notes** tab displays the date and time the care note was last updated, the patient who is the subject of the note, and a preview of the note text. Care Notes are displayed in descending order, with the most current notes at the top. New Care Notes are displayed in **bold** until viewed.

Click the link in the **Care Note** column to view the note.

The Narx Report for that patient is displayed, and you are automatically directed to the Care Notes section of the report.



Refer to [Care Notes](#) for information on adding new Care Notes to a patient record.

Clinician-to-Clinician Messaging

Creating a New Message

You can send a message regarding a specific patient to another clinician who is also treating that patient from within the Narx Report.

Note: *This function should be used for messages that are not critically time sensitive, as there may be a time lag before the recipient views any sent message. For time sensitive communications, Appriss recommends direct communication with the desired recipient outside of the PMP.*

To send a new message:

1. Generate a Narx Report for the patient using the instructions provided in the [Creating a Patient Request](#) section of this document.

The Narx Report is displayed as shown on the following page.

RxSearch > Patient Request > Justin Cooper

Justin Cooper, 37M

[Narx Report](#) [Resources](#)

Date: 06/15/2017 [Download PDF](#) [Download CSV](#)

Justin Cooper

Communication

Messages (1)

I wanted to let you know that family expressed concern about the patient buying additional opioids on the street because she is running out early Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, qui ...more

[03/02/2017 1103:12] — from Mark Allen (General Surgeon) to Beth Johnson [Actions](#)

I wanted to let you know that family expressed concern about the patient buying additional opioids on the street because she is running out early Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, qui ...more

[03/02/2017 1103:12] — from Mark Allen (Delegate) on behalf of Amy Smith (General Surgeon) to Beth Johnson [Actions](#)

I wanted to let you know that family expressed concern about the patient buying additional opioids on the street because she is running out early Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, qui ...more

Showing 26 - 50 of 100 items

Care Notes (0) [Add Note](#)

[03/02/2017 1103:12] — from Mark Allen (General Surgeon) [Actions](#)

Lorem ipsum, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud consequat nostrud L... more

[Lorem Ipsum Document.pdf \(14.56 KB\)](#) [Lorem Ipsum sdf Documen... \(14.56 KB\)](#)

[03/02/2017 1103:12] — from Mark Allen (General Surgeon) [Actions](#)

Lorem ipsum, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud consequat nostrud L... more

[Lorem Ipsum Document.pdf \(14.56 KB\)](#) [Lorem Ipsum sdf Documen... \(14.56 KB\)](#)


Showing 26 - 50 of 100 items

Risk Indicators

NARX SCORES			OVERDOSE RISK SCORE	ADDITIONAL RISK INDICATORS (3)
Narcotic	Sedative	Stimulant	650 (Range 000-999)	<ul style="list-style-type: none"> > = 4 opioid or sedative dispensing pharmacies in any 90 day period in the last 2 years > = 5 opioid or sedative providers in any year in the last 2 years Patient has Benzodiazepine/ Narcotic overlap
672	512	190		
Explain these scores	Explain this score	Explain these indicators		

This NarxCare report is based on search criteria supplied and the data entered by the dispensing pharmacy. For more information about any prescription, please contact the dispensing pharmacy or the prescriber. NarxCare scores and reports are intended to aid, not replace, medical decision making. None of the information presented should be used as sole justification for providing or refusing to provide medications. The information on this report is not warranted as accurate or complete.

2. Scroll down to the Prescribers section of the Rx Graph. Available prescribers are indicated by hyperlinked names.



- Click the prescriber's name to send a message regarding the patient.

Note: If the prescriber's name is not a hyperlink, that prescriber is not available for messages. Prescribers may be unavailable for messages based on a number of factors, including being located out of state or having an invalid identifier.

The Message Creation window is displayed.

The screenshot shows a window titled "Mark Allen" with a close button (X) in the top right corner. Inside the window, there is a message: "This patient report includes multiple demographics. Messages must be appended to a specific patient demographic. Please make the appropriate selection to append this message to an accurate patient record." Below this, under "Search Criteria", it says "Name: Justin Cooper DOB: 11/18/1980". Then, it asks "What's the most recent and accurate address for this patient?" and lists four radio button options: "1189 Main Street Louisville, IN 40223 40223", "78 Woodstone Dr. Louisville, IN 40223" (which is selected), "671 Springview Lane Louisville, IN 40223", and "671 Springview Apt 2 Louisville, IN 40223". Below the address selection, it shows "From: Johnny Smith (Cardiologist) - 123 Fake Street Louisville, KY 40223" and "To: Mark Allen (Cardiologist) - 123 Fake Street Louisville, KY 40223". At the bottom, there is a text input field labeled "Message..." and two buttons: "Cancel" and "Send".

- If multiple demographics exist for the patient, you must select the most recent and accurate demographic to ensure that your message is attached to the correct patient record.

Note: If multiple demographics do not exist, you can skip this step.

- Type your message in the **Message** field, then click **Send**.

The message is sent, and the prescriber will be able to view it the next time they log in to AWAxE.

Responding to an Existing Message

If a prescriber has sent you a message, it will be available in your inbox. To read and respond to a message:

- Open the message using the instructions provided in the [Accessing Your Inbox](#) section of this guide.

The Narx Report is generated and displayed, and you are automatically directed to the Messages section of the report.

RxSearch > Patient Request > Justin Cooper

Justin Cooper, 37M

Narx Report Resources

Date: 06/15/2017 Download PDF Download CSV

Justin Cooper

Communication

Messages (1)

New [03/02/2017 11:03:12 CST] — from Mark Allen (General Surgeon) to Beth Johnson Actions

I wanted to let you know that family expressed concern about the patient buying additional opioids on the street because she is running out early.

[03/02/2017 11:03:12] — from Mark Allen (General Surgeon) to Beth Johnson Actions

I wanted to let you know that family expressed concern about the patient buying additional opioids on the street because she is running out early Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, qui ...more

[03/02/2017 11:03:12] — from Mark Allen (Delegate) on behalf of Amy Smith (General Surgeon) to Beth Johnson Actions

I wanted to let you know that family expressed concern about the patient buying additional opioids on the street because she is running out early Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, qui ...more

Showing 26 - 50 of 100 Items

- To respond to a message, click the prescriber's name, located in the **From** field of the message heading.

The Message Creation window is displayed.

Mark Allen

This patient report includes multiple demographics. Messages must be appended to a specific patient demographic. Please make the appropriate selection to append this message to an accurate patient record.

Search Criteria
Name: Justin Cooper **DOB:** 11/18/1980

What's the most recent and accurate address for this patient?

☐ 1189 Main Street Louisville, IN 40223 40223

☒ 78 Woodstone Dr. Louisville, IN 40223

☐ 671 Springview Lane Louisville, IN 40223

☐ 671 Springview Apt 2 Louisville, IN 40223

From: Johnny Smith (Cardiologist) - 123 Fake Street Louisville, KY 40223
To: Mark Allen (Cardiologist) - 123 Fake Street Louisville, KY 40223

Message...

Cancel Send

- If multiple demographics exist for the patient, you must select the most recent and accurate demographic to ensure that your message is attached to the correct patient record.

Note: If multiple demographics do not exist, you can skip this step.

- Type your response in the **Message** field, then click **Send**.

The message is sent, and the prescriber will be able to view it the next time they log in to AWA Rx E.

Care Notes

The Care Notes feature allows you to add specific, clinically relevant notes or events to a patient's PMP record (e.g., "the patient has a pain contract") to be viewed by any provider who views the patient's record. You can also edit and/or delete Care Notes that you added to the patient's record.

Note: This function should be used for messages that are not critically time sensitive, as there may be a time lag before the recipient views any sent message. For time sensitive communications, Appriss recommends direct communication with the desired recipient outside the PMP.

Adding a New Care Note

To add a new Care Note to a patient's record:

1. Generate a Narx Report for the patient using the instructions provided in the [Creating a Patient Request](#) section of this document.

The Narx Report is displayed.

RxSearch > Patient Request > Justin Cooper

STATE DEPARTMENT OF HEALTH

Justin Cooper, 37M

Narx Report Resources

Date: 06/15/2017 Download PDF Download CSV

+ Justin Cooper

- Communication

Messages (1)

I wanted to let you know that family expressed concern about the patient buying additional opioids on the street because she is running out early Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, qui ...more

[03/02/2017 11:03:12] — from Mark Allen (General Surgeon) to Beth Johnson Actions

I wanted to let you know that family expressed concern about the patient buying additional opioids on the street because she is running out early Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, qui ...more

[03/02/2017 11:03:12] — from Mark Allen (Delegate) on behalf of Amy Smith (General Surgeon) to Beth Johnson Actions

I wanted to let you know that family expressed concern about the patient buying additional opioids on the street because she is running out early Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, qui ...more

Showing 26 - 50 of 100 Items

Care Notes (0) Add Note

[03/02/2017 11:03:12] — from Mark Allen (General Surgeon) Actions

Lorem ipsum, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud consequauis nostrud t... more

📎 Lorem Ipsum Document.pdf (14.56 KB) 📎 Lorem Ipsum sdf Documen. (14.56 KB)

[03/02/2017 11:03:12] — from Mark Allen (General Surgeon) Actions

Lorem ipsum, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud consequauis nostrud t... more

📎 Lorem Ipsum Document.pdf (14.56 KB) 📎 Lorem Ipsum sdf Documen. (14.56 KB)

Showing 26 - 50 of 100 Items

Risk Indicators

NARX SCORES			OVERDOSE RISK SCORE	ADDITIONAL RISK INDICATORS (3)
Narcotic	Sedative	Stimulant	650 (Range 000-999)	<ul style="list-style-type: none">> = 4 opioid or sedative dispensing pharmacies in any 90 day period in the last 2 years> = 5 opioid or sedative providers in any year in the last 2 years⚠ Patient has Benzodiazepine/ Narcotic overlap
672	512	190		
Explain these scores			Explain this score	Explain these indicators

This NarxCare report is based on search criteria supplied and the data entered by the dispensing pharmacy. For more information about any prescription, please contact the dispensing pharmacy or the prescriber. NarxCare scores and reports are intended to aid, not replace, medical decision making. None of the information presented should be used as sole justification for providing or refusing to provide medications. The information on this report is not warranted as accuracy or complete.

2. Click **Add Note** in the Care Notes section of the page.

The Care Note creation window is displayed.

Care Note for Justin Cooper

Create a care note that will remain with the patient's report. A care note created by you can only be edited/deleted by the you or an admin.

Write a Care Note....

Add Attachment Characters Left: xxx

Expiration
This care note should never expire

Share Note
☐ Externally with any authorized user of the PDMP
☒ Internal to my organization only

Care Note Guidelines: This care note function allows prescription drug monitoring program (PDMP) users to communicate with each other through the NarxCare interface. This function should be used for messages that are not critically time sensitive, as there may be a time lag before the recipient views any sent message. For time sensitive communications, direct communication with the desired recipient is recommended.

Cancel Save

3. Type your note in the **Write a Care Note** field. Note that Care Notes are limited to 1000 characters.
4. If you need to attach a document to the Care Note (e.g., care plans, pain contracts, etc.), click **Add Attachment** and select the file you wish to attach. Note that HTML attachments cannot be accepted for security purposes. In addition, inappropriate content, either in text form or document or photo attachments, should not be posted. If you notice inappropriate use of the Communications Module, you can flag inappropriate content by following the instructions in the [Flagging a Message/Care Note as Inappropriate](#) section of this document.
5. In the **Expiration** field, use the drop-down menu to select when the Care Note should expire.

Expiration
This care note should expire after custom months

Expire after M never expire months)
expire after 3 months
expire after 6 months
expire after 12 months
expire after custom months

- You can choose to have the Care Note never expire or to expire after 3 months, 6 months, 12 months, or a custom number of months.

- If you choose the **expire after custom months** option, you will be prompted to enter the number of months after which the Care Note should expire. The maximum allowed is 99 months.

Expiration

This care note should expire after custom months

Expire after Months. (Maximum allowed is 99 months)

- If you are adding a Care Note to a patient report via an EHR integration, the **Share Note** field will be displayed. Use this field to indicate whether the Care Note should be shared externally with any authorized PMP user or internally with your organization only.
- Click **Save**.

The Care Note is saved and immediately appended to the patient's record.

Editing a Care Note

Note: You can only edit Care Notes added by you. Your State Administrator may also edit your Care Note, if necessary.

To edit your Care Note:

- Generate a Narx Report for the patient using the instructions provided in the Creating a Patient Request section of this document.

The Narx Report is displayed.

RxSearch > Patient Request > Justin Cooper

Justin Cooper, 37M

Narx Report Resources

Date: 06/15/2017 [Download PDF](#) [Download CSV](#)

Justin Cooper

Communication

Messages (1)

I wanted to let you know that family expressed concern about the patient buying additional opioids on the street because she is running out early Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, qui ...more

[03/02/2017 11:03:12] — from Mark Allen (General Surgeon) to Beth Johnson [Actions](#)

I wanted to let you know that family expressed concern about the patient buying additional opioids on the street because she is running out early Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, qui ...more

[03/02/2017 11:03:12] — from Mark Allen (Delegate) on behalf of Amy Smith (General Surgeon) to Beth Johnson [Actions](#)

I wanted to let you know that family expressed concern about the patient buying additional opioids on the street because she is running out early Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, qui ...more

Showing 26 - 50 of 100 items < 2 of 5 >

Care Notes (0) [Add Note](#)

[03/02/2017 11:03:12] — from Mark Allen (General Surgeon) [Actions](#)

Lorem ipsum, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud consequis nostrud t...more

[Lorem Ipsum Document.pdf \(14.56 KB\)](#) [Lorem Ipsum sdf Documen. \(14.56 KB\)](#)

[03/02/2017 11:03:12] — from Mark Allen (General Surgeon) [Actions](#)

Lorem ipsum, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud consequis nostrud t...more

[Lorem Ipsum Document.pdf \(14.56 KB\)](#) [Lorem Ipsum sdf Documen. \(14.56 KB\)](#)


Showing 26 - 50 of 100 items < 2 of 5 >

Risk Indicators

<p>NARX SCORES</p> <table> <tr> <td>Narcotic</td> <td>Sedative</td> <td>Stimulant</td> </tr> <tr> <td>672</td> <td>512</td> <td>190</td> </tr> </table> <p>Explain these scores</p>	Narcotic	Sedative	Stimulant	672	512	190	<p>OVERDOSE RISK SCORE</p> <p>650 (Range 000-999)</p> <p>Explain this score</p>	<p>ADDITIONAL RISK INDICATORS (3)</p> <ul style="list-style-type: none"> > 4 opioid or sedative dispensing pharmacies in any 90 day period in the last 2 years > 5 opioid or sedative providers in any year in the last 2 years Patient has Benzodiazepine/ Narcotic overlap <p>Explain these indicators</p>
Narcotic	Sedative	Stimulant						
672	512	190						

This Narx report is based on search criteria supplied and the data entered by the dispensing pharmacy. For more information about any prescription, please contact the dispensing pharmacy or the prescriber. NarxCare scores and reports are intended to aid, not replace, medical decision making. None of the information presented should be used as sole indication for prescribing or adjusting to provide indicators. The information on this report is not intended to be used as a substitute for clinical judgment.

2. In the Care Notes section of the page, locate the note you wish to edit.
3. Click the **Actions** drop-down for the note and select **Edit Note**. *Note that this option is only available on notes created by you. You cannot edit Care Notes created by other clinicians.*



The Edit Care Note window is displayed.

A screenshot of the 'Edit Care Note for Justin Cooper' window. The window has a title bar with a close button. Below the title is a text area containing placeholder text: 'Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in'. Below the text area is a section for attachments, showing a file 'A_Doc_Upload 12345678.pdf (40.3KB)' uploaded on Jan 23, 2017 2:30 PM EST. There is an 'Add Attachment' link. Below that is an 'Expiration' section with a dropdown menu set to 'never expire'. Then is a 'Share Note' section with two radio buttons: 'Externally with any authorized user of the PDMP' and 'Internal to my organization only' (which is selected). Below that is a 'Reason for Edit' section with a text input field and two checkboxes: 'Correct errors/wrong information' and 'Update outdated information'. At the bottom right are 'Cancel' and 'Save' buttons. A 'Characters Left: xxx' indicator is on the right side.

4. Edit the Care Note as necessary. You may refer to steps 3-6 of the [Adding a New Care Note](#) section of this document for more information about the fields displayed on this window.
5. Once you have finished editing the Care Note, select the reason for editing the note in the **Reason for Edit** field. You may add any additional comments regarding the edit in the **Additional Comments** field. *Note that if you select **Other** as the reason for your edit, you must complete the **Additional Comments** field.*

A screenshot of the 'Reason for Edit' section of the Edit Care Note window. It shows a text input field for 'Please share your reason for editing this care note.' Below it are three checkboxes: 'Correct errors/wrong information', 'Update outdated information', and 'Other'. Below the checkboxes is a text input field for 'Additional Comments'. At the bottom right is a 'Characters Left: xxx' indicator.

If the Care Note has been edited multiple times, you can click **View History of Edits** to view the entire edit history.

×

Edited Care Note

This note has been edited multiple times. [Hide History of Edits](#)

Original Care Note
[11/19/2017 2:24:00 PM CST] — Lorem ipsuelit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat.

Edited on 11/19/2017
[11/19/2017 2:24:00 PM CST] — Lorem ipsuelit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat.

The care note was edited due to the following reasons: Offensive Language, Other

Edited on 11/21/2017
[11/21/2017 2:24:00 PM CST] — Lorem ipsuelit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat.

The care note was edited due to the following reasons: Offensive Language, Other

Edited on 11/22/2017
[11/22/2017 2:24:00 PM CST] — Lorem ipsuelit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat.

Close

Deleting a Care Note

Note: You can only delete Care Notes added by you. Your State Administrator may also delete your Care Note, if necessary.

To delete your Care Note:

1. Generate a Narx Report for the patient using the instructions provided in the [Creating a Patient Request](#) section of this document.

The Narx Report is displayed as shown on the following page.

RxSearch > Patient Request > Justin Cooper

Justin Cooper, 37M

Narx Report Resources

Date: 06/15/2017 [Download PDF](#) [Download CSV](#)

Justin Cooper

Communication

Messages (1)

I wanted to let you know that family expressed concern about the patient buying additional opioids on the street because she is running out early Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, qui ...[more](#)

[03/02/2017 11:03:12] — from Mark Allen (General Surgeon) to Beth Johnson [Actions](#)

I wanted to let you know that family expressed concern about the patient buying additional opioids on the street because she is running out early Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, qui ...[more](#)

[03/02/2017 11:03:12] — from Mark Allen (Delegate) on behalf of Amy Smith (General Surgeon) to Beth Johnson [Actions](#)

I wanted to let you know that family expressed concern about the patient buying additional opioids on the street because she is running out early Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, qui ...[more](#)

Showing 26 - 50 of 100 Items [<](#) [2](#) of 5 [>](#)

Care Notes (0) [Add Note](#)

[03/02/2017 11:03:12] — from Mark Allen (General Surgeon) [Actions](#)

Lorem ipsum elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud consequais nostrud t...[more](#)

[Lorem Ipsum Document.pdf \(14.56 KB\)](#) [Lorem Ipsum sdf Documen... \(14.56 KB\)](#)

[03/02/2017 11:03:12] — from Mark Allen (General Surgeon) [Actions](#)

Lorem ipsum elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud consequais nostrud t...[more](#)

[Lorem Ipsum Document.pdf \(14.56 KB\)](#) [Lorem Ipsum sdf Documen... \(14.56 KB\)](#)


Showing 26 - 50 of 100 Items [<](#) [2](#) of 5 [>](#)

Risk Indicators

NARX SCORES			OVERDOSE RISK SCORE	ADDITIONAL RISK INDICATORS (3)
Narcotic	Sedative	Stimulant	650 (Range 000-999)	<ul style="list-style-type: none"> > = 4 opioid or sedative dispensing pharmacies in any 90 day period in the last 2 years > = 5 opioid or sedative providers in any year in the last 2 years Patient has Benzodiazepine/ Narcotic overlap
672	512	190		
Explain these scores			Explain this score	Explain these indicators

This NarxCare report is based on search criteria supplied and the data entered by the dispensing pharmacy. For more information about any prescription, please contact the dispensing pharmacy or the prescriber. NarxCare scores and reports are intended to aid, not replace, medical decision making. None of the information presented should be used as sole justification for providing or refusing to provide medications. The information on this report is not warranted as accurate or complete.

- In the Care Notes section of the page, locate the note you wish to delete.
- Click the **Actions** drop-down for the note and select **Delete Note**. *Note that this option is only available on notes created by you. You cannot delete Care Notes created by other clinicians.*



The Delete Care Note window is displayed.



Delete Care Note [Close]

Please share your reason for deleting this care note.


☐ Outdated Information/ No Longer Relevant

☐ Other

Additional Comments

[Cancel] [Submit]

4. Select the reason you are deleting the Care Note. You may add any additional comments regarding the deletion in the **Additional Comments** field. *Note that if you select **Other** as the reason for your deletion, you must complete the **Additional Comments** field.*
5. Click **Submit**.
 - The Care Note is immediately removed from the patient's record and will no longer be visible to you or any other prescriber.
 - Care Notes that have been deleted by you or by the State Administrator are indicated with **[Deleted]** next to the Care Note description in your inbox.



Messages My Care Notes		
Search		
Date/Time Last Updated	Patient	Care Note
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	[Deleted] - View Reason- Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	[Edited] - View Edits - Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	[Expired] - View Note - Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam...

- You may click **View Reason** to view the Care Note's edit history and reason for deletion. Note that the edit history is only viewable by you and your State Administrator.

Deleted Care Note

Original Care Note:

[11/21/2017 2:24:00 PM CST] — Lorem ipsuelit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat.

📎

 Lorem Ipsum Document.pdf (14.56 KB)

Edited on 11/21/2017

[11/21/2017 2:24:00 PM CST] — Lorem ipsuelit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat.

The care note was edited due to the following reasons: Offensive Language, Other

Deleted on 11/21/2017

The care note was deleted due to the following reasons: Offensive Language, Other


Additional Comments:
Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut

Close

Flagging a Message/Care Note as Inappropriate

If you have received an inappropriate message and/or Care Note, you can flag it for review by the State Administrator. To flag a message or Care Note for review:

- From the **Messages** or **Care Notes** section of the Narx Report, click the **Actions** drop-down and select **Flag as Inappropriate**.



The Flag as Inappropriate window is displayed.

Flag as Inappropriate

Please share your reason for flagging this item as inappropriate.

☐ Offensive Language
☐ Sexual Content
☐ Spam
☐ Other

Additional Comments

Cancel

Submit

- Select the reason you are flagging the message or Care Note as inappropriate. You may add any additional comments regarding your reason in the **Additional Comments** field. *Note*

*that if you select **Other** as the reason for flagging the message or Care Note, you must complete the **Additional Comments** field.*

3. Click **Submit**.

The message or Care Note is flagged and sent to the State Administrator for review.